

Bill of Materials

of	Part name	Doc/unit	Description from Burchasol in via	Manufacturer	Part number	Supplier	Ordering code	Alt.	Alt. Part number Alt. Supplier		Alt Ordering	Comments
ei.	ran name	Pcs/unit	Description from PurchaseLib.xls	IMATIUI ACTUTET	Part number	Supplier	Ordering code	Alt. Manufacturer	AIT. Part num	Jei Ait. Supplier	Alt. Ordering code	Comment
	JTI_2450BM15A0002	1	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	C_1U_0603_X5R_L_6P3	1	Capacitor, 1u, 0603, X5R, 15%, 6.3V	Murata	GRM188R60J105KA01D	Farnell	4716607					
2	C_4U7_0603_X5R_K_6	1	Capacitor, 4u7, 0603, X5R, 10%, 6.3V	Murata	GRM188R60J475KE19D							
3 (Do Not	C_0402	0	Capacitor, general, 0402; Do not mount									
ount)		Ů										
ount) 4	C_2U2_0402_X5R_M_4V	1	Capacitor, 2u2, 0402, X5R, +/-20%, 4V	Murata	GRM1555C1H2R2CD01							
5	C_0P5_0402_NP0_B_50	1	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
,	O_01	l'	m1473	TH VITA	m v/A	711071	#1 4 // X	#14/7C	#1 4 /74	#14/74	#1 4 /7	#1 4 /7
1, C31	C_47P_0402_NP0_J_50	1	Capacitor, 47p, 0402, NP0, 5%, 50V	Murata	GRM1555C1H470JZ01D							
1	C_10P_0402_NP0_J_50	1	Capacitor, 10p, 0402, NP0, 5%, 50V	Murata	GRM1555C1H100JZ01D							
01·C211·C	C_100N_0402_X5R_K_10	5	Capacitor, 100n, 0402, X5R, 10%, 10V	Murata	GRM155R71A104KA01D		+	 	+	_		+
1;C271;C31	C_100N_0402_A3R_K_10	3	Capacitor, 10011, 0402, Δ5Κ, 10%, 10V	iviulata	GRWIDSK/TATU4KAUTD	- 1			1			
01	C_1N_0402_NPO_J_50	1	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A		
21;C231	C_27P_0402_NP0_J_50	2	Capacitor, 27p, 0402, NP0, 5%, 50V	Murata	GRM1555C1H270JZ01D							
72	C_220P_0402_NP0_J_50	1	Capacitor, 220p, 0402, NP0, 5%, 50V	Murata	GRM1555C1H221JA01D							
91;C401	C_1U_0402_X5R_K_6P3	2	Capacitor, 1u, 0402, X5R, 10%, 6.3V	Murata	GRM155R60J105KE19D							
	LED_EL19-21SURC	1	LED, red-orange, 0603, 2.0V, 39mcd	Everlight	19-21SURC/S530-A2/TR8	ELFA	75-312-39					
			,g.,,,									
	LED EL 40 0401/00		150 0000 001/10	le rou	40.040//00/0500 54/500	E1 E4	75.040.47					
	LED_EL19-21SYGC	1	LED, green, 0603, 2.0V, 16mcd	Everlight	19-21SYGC/S530-E1/TR8	ELFA	75-312-47					
BUG	STL21	1	10 pins connector	MPE-Garry GmbH	STL21-A01XX-010-TRU	Freber						
(Do Not	(Do not mount)	0	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
unt)	(= =											
	L_BEAD_102_0402	1	EMI filter bead, 0402 1Kohms Tape	Murata	BLM15HG102SN1D	ACTE			I			1
			GHz Band Gen Use						1			
01	L_6N8_0402_J	1	Inductor, 6n8, 0402, Monolithic type,	Murata	LQG15HS6N8J02D							
			±5%			- 1			1			
	USB_A	1	USB Plugg A/PCB Montering	ELFA	42-197-15	Freber	CU01PAM10R0	AMP	787780-1	ELFA	42-707-40	+
	555_A	ļ.	SSD Flagg AT SD Montening		172 101 10	i iobei	COULTAINLORD		707700-1	LLIA	72 /0/-40	1
		ļ.										
	R_2_0402_F	1	Resistor, 2 ohms, 0402, ±1%	Koa	RK73H1ETTP2R00F				1			
						- 1			1			
;R92(Do	R_0402	0	Resistor, general, 0402; Do not mount			1		1	1			1
t Mount)			1			- 1			I			
-D0-D01	D 0 0403	2	Posistor O shm 0402	l/oo	DV7974ETTD	ELEA	60 470 05	1	+		-	+
;R9;R91	R_0_0402	3	Resistor, 0 ohm, 0402	Koa	RK73Z1ETTP	ELFA	60-470-05		I			
									1			
1;R71	R_270_0402_F	2	Resistor, 270 ohms, 0402, ±1%	Koa	RK73H1E270RF-MR or	ELFA	60-885-61 or 60-					
					RK73H1ETTP2700F	- 1	477-73		I			
		1										
1;R31	R_33_0402_G	2	Resistor, 33 ohms, 0402, 2%	Koa	RK73H1ETTP33R0F (±1%)	ELFA	60-473-36					



Bill of Materials

Ref.	Part name	Pcs/unit	Description from PurchaseLib.xls	Manufacturer	Part number	Supplier	Ordering code	Alt. Manufacturer	Alt. Part number	Alt. Supplier	Alt. Ordering code	Comments
R32	R_1K5_0402_G	1	Resistor, 1k5 ohms, 0402, 2%	Koa	RK73H1ETTP1501F (±1%)	ELFA	60-481-36					
R301	R_56K_0402_F	1	Resistor, 56k ohms, 0402, ±1%	Koa	RK73H1ETTP5602F	ELFA	60-488-96					
R201	R_2K2_0402_G	1	Resistor, 2k2 ohms, 0402, 2%	Koa	RK73H1ETTP2201F (±1%)	ELFA	60-482-19					
61-2	PUSH_BUTTON_SKRK	2	Momentary push-button, SMD 3.9*2.9*2 mm	Alps	SKRKAEE010	OXYGEN		Uni-Ohm		Deltron		
J1	CC2531	1	Single-chip transceiver	TI	CC2531	TI	CC2531					Yes
J2	TPS76933	1	ULTRALOW-POWER 100-mA LOW- DROPOUT LINEAR REGULATORS	ТІ	TPS76933DBVR or -T							
X1	X_32.000/10/15/30/16	1	Crystal, 32.000MHz, NX3225DA, 10/15ppm, 16 pF ! Temp range -30 - +85 deg C!	NDK	NX3225SA	NDK	NX3225SA 32 MHz EXS00A- 02994					
	Total	39									+	+

IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, enhancements, improvements and other changes to its semiconductor products and services per JESD46, latest issue, and to discontinue any product or service per JESD48, latest issue. Buyers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All semiconductor products (also referred to herein as "components") are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its components to the specifications applicable at the time of sale, in accordance with the warranty in TI's terms and conditions of sale of semiconductor products. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by applicable law, testing of all parameters of each component is not necessarily performed.

TI assumes no liability for applications assistance or the design of Buyers' products. Buyers are responsible for their products and applications using TI components. To minimize the risks associated with Buyers' products and applications, Buyers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI components or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of significant portions of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI components or services with statements different from or beyond the parameters stated by TI for that component or service voids all express and any implied warranties for the associated TI component or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

Buyer acknowledges and agrees that it is solely responsible for compliance with all legal, regulatory and safety-related requirements concerning its products, and any use of TI components in its applications, notwithstanding any applications-related information or support that may be provided by TI. Buyer represents and agrees that it has all the necessary expertise to create and implement safeguards which anticipate dangerous consequences of failures, monitor failures and their consequences, lessen the likelihood of failures that might cause harm and take appropriate remedial actions. Buyer will fully indemnify TI and its representatives against any damages arising out of the use of any TI components in safety-critical applications.

In some cases, TI components may be promoted specifically to facilitate safety-related applications. With such components, TI's goal is to help enable customers to design and create their own end-product solutions that meet applicable functional safety standards and requirements. Nonetheless, such components are subject to these terms.

No TI components are authorized for use in FDA Class III (or similar life-critical medical equipment) unless authorized officers of the parties have executed a special agreement specifically governing such use.

Only those TI components which TI has specifically designated as military grade or "enhanced plastic" are designed and intended for use in military/aerospace applications or environments. Buyer acknowledges and agrees that any military or aerospace use of TI components which have *not* been so designated is solely at the Buyer's risk, and that Buyer is solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI has specifically designated certain components as meeting ISO/TS16949 requirements, mainly for automotive use. In any case of use of non-designated products, TI will not be responsible for any failure to meet ISO/TS16949.

Products Applications

Audio www.ti.com/audio Automotive and Transportation www.ti.com/automotive Communications and Telecom **Amplifiers** amplifier.ti.com www.ti.com/communications **Data Converters** dataconverter.ti.com Computers and Peripherals www.ti.com/computers **DLP® Products** www.dlp.com Consumer Electronics www.ti.com/consumer-apps

DSP **Energy and Lighting** dsp.ti.com www.ti.com/energy Clocks and Timers www.ti.com/clocks Industrial www.ti.com/industrial Interface interface.ti.com Medical www.ti.com/medical logic.ti.com Logic Security www.ti.com/security

Power Mgmt power.ti.com Space, Avionics and Defense www.ti.com/space-avionics-defense

Microcontrollers microcontroller.ti.com Video and Imaging www.ti.com/video

RFID <u>www.ti-rfid.com</u>

OMAP Applications Processors www.ti.com/omap TI E2E Community e2e.ti.com

Wireless Connectivity <u>www.ti.com/wirelessconnectivity</u>