

PMP7970 REV 1 Bill of Materials

Designator	Quantity	Value	PartNumber	Manufacturer	Description	PackageReference
PCB1	1		PMP7896 RevB	Any	PMP7896 RevB	N/A
C1	1	470pF	GRM2165C2A471JA01D	MuRata	CAP, CERM, 470pF, 100V, +/-5%, C0G/NP0, 0805	0805
C9	1	0.1uF	GRM188R72A104KA35D	MuRata	CAP, CERM, 0.1uF, 100V, +/-10%, X7R, 0603	0603
C10, C12, C13	3	100pF	GRM1885C1H101JA01D	MuRata	CAP, CERM, 100pF, 50V, +/-5%, C0G/NP0, 0603	0603
C11	1	4.7µF	C1608X6S1A475K	TDK Corporation	CAP CER 4.7UF 10V 10% X6S 0603	0603 (1608 Metric)
C14	1	0.047uF	GRM188R71E473KA01D	MuRata	CAP, CERM, 0.047uF, 25V, +/-10%, X7R, 0603	0603
C15	1	0.47uF	GRM21BR72A474KA73L	MuRata	CAP, CERM, 0.47uF, 100V, +/-10%, X7R, 0805	0805
C16	1	0.1uF	GRM188R71E104KA01D	MuRata	CAP, CERM, 0.1uF, 25V, +/-10%, X7R, 0603	0603
C17	1	330pF	C1608C0G1H331J	TDK	CAP, CERM, 330pF, 50V, +/-5%, C0G/NP0, 0603	0603
C18	1	0.022uF	C1608X7R1H223K	TDK	CAP, CERM, 0.022uF, 50V, +/-10%, X7R, 0603	0603
Cx1, Cx2, Cx3, Cx4	4	22uF	CKG57NX7S2A226M500JH	TDK	CAP, CERM, 22uF, 100V, X7S, 20%, Stacked SMD	
Cx5, Cx6, Cx7, Cx8	4	2.2uF	C4532X7R2A225M	TDK	CAP, CERM, 2.2 μF, 100 V, +/- 20%, X7R, 1812	1812
Cx9	1	100uF	EEV-FK2A101M	Panasonic	CAP, AL, 100 μF, 100 V, +/- 20%, 0.17 ohm, SMD	SMT Radial J16
D2	1	0.57V	MBR1H100SFT3G	On Semiconductor	DIODE SCHOTTKY 1A 100V SOD-123FL	SOD-123FL
–– H1, H2, H3, H4	4		NY PMS 440 0025 PH	B&F Fastener Supply	Machine Screw, Round, #4-40 x 1/4, Nylon, Philips panhead	Screw
H5, H6, H7, H8	4		1902C	Keystone	Standoff, Hex, 0.5"L #4-40 Nylon	Standoff
L1	1	4uH	SER2014-402MLB	Coilcraft	Inductor, Shielded E Core, Ferrite, 4uH, 25A, 0.00194 ohm, SMD	SER2014
LBL1	1		THT-14-423-10	Brady	Thermal Transfer Printable Labels, 0.650" W x 0.200" H - 10,000 per roll	PCB Label 0.650"H x 0.200"W
Q1, Q2, Q3	3	80V	BSC123N08NS3 G	Infineon Technologies	MOSFET, N-CH, 80V, 55A, PG-TDSON-8	PG-TDSON-8
R1	1	7.5	ERJ-12ZYJ7R5U	Panasonic	RESISTOR 7.5 OHM 3/4W 5% 2010	2010
R2	1	0.004	ERJ-M1WSF4M0U	Panasonic	RES, 0.004 ohm, 1%, 1W, 2512	2512
R3, R4, R5, R6, R8, R12, R21	7	0	ERJ-3GEY0R00V	Panasonic	RES, 0 ohm, 5%, 0.1W, 0603	0603
R10	1	49.9k	CRCW060349K9FKEA	Vishay-Dale	RES, 49.9k ohm, 1%, 0.1W, 0603	0603
R11	1	3.3	CRCW06033R30JNEA	Vishay-Dale	RES, 3.3 ohm, 5%, 0.1W, 0603	0603
R13	1	8.66k	CRCW06038K66FKEA	Vishay-Dale	RES, 8.66k ohm, 1%, 0.1W, 0603	0603
R14	1	10.0k	CRCW060310K0FKEA	Vishay-Dale	RES, 10.0k ohm, 1%, 0.1W, 0603	0603
R16	1	40.2k	CRCW060340K2FKEA	Vishay-Dale	RES, 40.2k ohm, 1%, 0.1W, 0603	0603
R17	1	15.0k	CRCW060315K0FKEA	Vishay-Dale	RES, 15.0k ohm, 1%, 0.1W, 0603	0603
R18	1	1.96k	CRCW06031K96FKEA	Vishay-Dale	RES, 1.96k ohm, 1%, 0.1W, 0603	0603
R19	1	84.5k	CRCW060384K5FKEA	Vishay-Dale	RES, 84.5k ohm, 1%, 0.1W, 0603	0603
R20	1	3.48	CRCW06033R48FKEA	Vishay-Dale	RES, 3.48 ohm, 1%, 0.1W, 0603	0603
Rx1	1	0.47	CSRN2512FKR470	Stackpole Electronics Inc	RES, 0.47, 1%, 2 W, 2512	2512
TP1, TP2, TP3, TP4	4		575-8	Keystone	Standard Banana Jack, Uninsulated, 8.9mm	Keystone575-8
TP5, TP7	2	Red	5010	Keystone	Test Point, TH, Multipurpose, Red	Keystone5010
TP6, TP8, TP10	3	Black	5011	Keystone	Test Point, TH, Multipurpose, Black	Keystone5011
TP9, TP11	2	White	5002	Keystone	Test Point, TH, Miniature, White	Keystone5002
TP12	1	White	5012	Keystone	Test Point, TH, Multipurpose, White	Keystone5012
U1	1		LM5122MHX/NOPB	Texas Instruments	Wide Input Synchronous Boost Controller with Multiple Phase Capability, PWP0020A	PWP0020A
D1	0	0.77V	DFLS1100-7	Diodes Inc.	Diode, Schottky, 100V, 1A, PowerDI123	PowerDI123
FID1, FID2, FID3	0		N/A	N/A	Fiducial mark. There is nothing to buy or mount.	Fiducial
R7	0	158k	CRCW0603158KFKEA	Vishay-Dale	RES, 158k ohm, 1%, 0.1W, 0603	0603
R9	0	DNP	CRCW06033R30JNEA	Vishay-Dale	RES, 3.3 ohm, 5%, 0.1W, 0603	0603
		DNP	ERJ-3GEY0R00V	Panasonic	RES, 0 ohm, 5%, 0.1W, 0603	0603

Designator Quantity Value PartNumber Manufacturer Description PackageRe								
Designation additity value i artivulliber i inantifacturer Description Description i ackagene	Design	ator Qua	ntity	Value	PartNumber	Manufacturer	Description	PackageReference

IMPORTANT NOTICE FOR TI REFERENCE DESIGNS

Texas Instruments Incorporated ('TI') reference designs are solely intended to assist designers ("Designer(s)") who are developing systems that incorporate TI products. TI has not conducted any testing other than that specifically described in the published documentation for a particular reference design.

TI's provision of reference designs and any other technical, applications or design advice, quality characterization, reliability data or other information or services does not expand or otherwise alter TI's applicable published warranties or warranty disclaimers for TI products, and no additional obligations or liabilities arise from TI providing such reference designs or other items.

TI reserves the right to make corrections, enhancements, improvements and other changes to its reference designs and other items.

Designer understands and agrees that Designer remains responsible for using its independent analysis, evaluation and judgment in designing Designer's systems and products, and has full and exclusive responsibility to assure the safety of its products and compliance of its products (and of all TI products used in or for such Designer's products) with all applicable regulations, laws and other applicable requirements. Designer represents that, with respect to its applications, it has all the necessary expertise to create and implement safeguards that (1) anticipate dangerous consequences of failures, (2) monitor failures and their consequences, and (3) lessen the likelihood of failures that might cause harm and take appropriate actions. Designer agrees that prior to using or distributing any systems that include TI products, Designer will thoroughly test such systems and the functionality of such TI products as used in such systems. Designer may not use any TI products in life-critical medical equipment unless authorized officers of the parties have executed a special contract specifically governing such use. Life-critical medical equipment is medical equipment where failure of such equipment would cause serious bodily injury or death (e.g., life support, pacemakers, defibrillators, heart pumps, neurostimulators, and implantables). Such equivalent classifications outside the U.S.

Designers are authorized to use, copy and modify any individual TI reference design only in connection with the development of end products that include the TI product(s) identified in that reference design. HOWEVER, NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER TI INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT OF TI OR ANY THIRD PARTY IS GRANTED HEREIN, including but not limited to any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services, or a warranty or endorsement thereof. Use of the reference design or other items described above may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

TI REFERENCE DESIGNS AND OTHER ITEMS DESCRIBED ABOVE ARE PROVIDED "AS IS" AND WITH ALL FAULTS. TI DISCLAIMS ALL OTHER WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, REGARDING THE REFERENCE DESIGNS OR USE OF THE REFERENCE DESIGNS, INCLUDING BUT NOT LIMITED TO ACCURACY OR COMPLETENESS, TITLE, ANY EPIDEMIC FAILURE WARRANTY AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

TI SHALL NOT BE LIABLE FOR AND SHALL NOT DEFEND OR INDEMNIFY DESIGNERS AGAINST ANY CLAIM, INCLUDING BUT NOT LIMITED TO ANY INFRINGEMENT CLAIM THAT RELATES TO OR IS BASED ON ANY COMBINATION OF PRODUCTS AS DESCRIBED IN A TI REFERENCE DESIGN OR OTHERWISE. IN NO EVENT SHALL TI BE LIABLE FOR ANY ACTUAL, DIRECT, SPECIAL, COLLATERAL, INDIRECT, PUNITIVE, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES IN CONNECTION WITH OR ARISING OUT OF THE REFERENCE DESIGNS OR USE OF THE REFERENCE DESIGNS, AND REGARDLESS OF WHETHER TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

TI's standard terms of sale for semiconductor products (<u>http://www.ti.com/sc/docs/stdterms.htm</u>) apply to the sale of packaged integrated circuit products. Additional terms may apply to the use or sale of other types of TI products and services.

Designer will fully indemnify TI and its representatives against any damages, costs, losses, and/or liabilities arising out of Designer's noncompliance with the terms and provisions of this Notice.

> Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2016, Texas Instruments Incorporated