

How Connected Vehicles Leverage Data: 3 Common Questions



Hope Bovenzi

Connected driving, even though it exists today, still has a long way to go. In the future, vehicles will communicate with the driver, other cars, the road and surrounding infrastructure, pedestrians, and the cloud, all while giving passengers a constant connection.

Thanks to these increasing levels of connectivity, vehicles will be able to receive, interpret and transmit data – both within the vehicle as well as with the world around it – to inform driving decisions, increase passenger convenience and enable increasing levels of autonomy.

Let's tackle three common questions about the future of connected vehicles.

Q: What Is V2X, and How Does It Relate to the Connected Car?

A: Vehicle-to-everything (V2X) is a multipoint network that allows information to pass between a vehicle and the world around it, including pedestrians, the surrounding infrastructure (such as light posts, traffic signals and parking lots), other vehicles and the cloud/network. [Figure 1](#) shows this ecosystem.




Figure 1. V2X Includes Vehicle-to-cloud (V2C), Vehicle-to-infrastructure (V2I), Vehicle-to-pedestrian (V2P) and Vehicle-to-vehicle (V2V) Connectivity

Central to the V2X network is the [telematics control unit \(TCU\)](#), the brain of the telematics system, which serves as the central hub for nearly anything and everything that talks wirelessly to the car from the outside world.

Q: What's the Difference between DSRC and C-V2X?

A: Dedicated short range communication (DSRC) and cellular V2X (C-V2X) are two types of radio technologies that are competing to become the standard for V2X connectivity. [Table 1](#) outlines some of the trade-offs of each technology.

Table 1. Trade-offs between DSRC and C-V2X for Automotive Applications

DSRC	C-V2X
Communication technology using the Wi-Fi IEEE Institute of Electrical and Electronics Engineers 802.11p standard	Cellular LTE standard driven by the 5G Automotive Association
Advantages: <ul style="list-style-type: none"> Permits low latency (2-ms) communication for basic V2I and V2V safety messages. Widely used, tested and reliable (~20 years). Complements LIDAR and radar in advanced driver assistance systems (ADAS) well. Interoperability with V2I and V2V systems. 	Advantages: <ul style="list-style-type: none"> Lower latency and two times the range of DSRC (can exceed 1 mile), even without a network connection. Able to use all features in the existing LTE network. Able to connect to anything (V2I, V2V, V2P and more). Better suited to systems around the globe.
Disadvantages: <ul style="list-style-type: none"> DSRC is an older technology that doesn't have latency as low as C-V2X. Some opponents say there is no room for evolution. 	Disadvantages: <ul style="list-style-type: none"> Doesn't yet have government regulatory backing. Could have interoperability issues.

(Data sources: [5G Automotive Association](#) and [Electronic Design](#))

Q: What Are Some of the Key Domains That Manage Data within the Vehicle?

A: Once the vehicle receives data from the outside world, there are several domains called gateways that are responsible for safely and securely transferring data within a vehicle. There is the potential for several gateways within the vehicle: a centralized gateway and multiple domain gateways. These gateways may include:

- An [automotive gateway](#) – a central gateway module that manages and routes data to various network domains within the vehicle.
- A [smart telematics gateway](#) – this gateway represents the next evolution of highly integrated TCUs—the infotainment gateway module within the digital cockpit that manages communications between the central gateway and the outside world, including emergency calling (eCall), vehicle tracking, electronic tolls, diagnostics and over-the-air updates.
- An [ADAS domain controller](#) – an ADAS gateway module that manages communications between the central gateway and powertrain systems to enable different levels of autonomous driving.

The race is on to design a connected vehicle that delivers a driving experience like none we have experienced before. I look forward to the day when this additional connectivity adds a predictive quality to the reactivity of autonomous driving – making the road safer for drivers and pedestrians.

Additional Resources

- Learn more about [designing connected vehicles](#).
- Explore TI's [design resources for infotainment systems](#).
- Read the white paper, "[Designing infotainment systems that are interactive, not distractive](#)."

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATA SHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, regulatory or other requirements.

These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to [TI's Terms of Sale](#) or other applicable terms available either on [ti.com](https://www.ti.com) or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

TI objects to and rejects any additional or different terms you may have proposed.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2023, Texas Instruments Incorporated