

Filename: Pro33C7.tmp
Variant: 001
Generated: 10/16/2018 5:03:35 PM
TID #: N/A

TIDA-01537 REV E1 Bill of Materials



| Item # | Designator | Quantity | Value | PartNumber | Manufacturer | Description | PackageReference |
|--------|--|----------|--------|----------------------|--------------|---|------------------|
| 1 | !PCB1 | 1 | | TIDA-01537 | Any | Printed Circuit Board | |
| 2 | C1_A, C1_B, C1_C, C1_D, C1_E, C1_F, C1_G, C1_H, C1_I, C1_J, C1_K, C1_L, C1_M, C1_N, C1_O, C2_A, C2_B, C2_C, C2_D, C2_E, C2_F, C2_G, C2_H, C2_I, C2_J, C2_K, C2_L, C2_M, C2_N, C2_O, C48, C49 | 32 | 0.33uF | GCM31MR71H334KA37L | MuRata | CAP, CERM, 0.33 μ F, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 1206 | 1206 |
| 3 | C3_A, C3_B, C3_C, C3_D, C3_E, C3_F, C3_G, C3_H, C3_I, C3_J, C3_K, C3_L, C3_M, C3_N, C3_O, C4_A, C4_B, C4_C, C4_D, C4_E, C4_F, C4_G, C4_H, C4_I, C4_J, C4_K, C4_L, C4_M, C4_N, C4_O, C5_A, C5_B, C5_C, C5_D, C5_E, C5_F, C5_G, C5_H, C5_I, C5_J, C5_K, C5_L, C5_M, C5_N, C5_O, C6_A, C6_B, C6_C, C6_D, C6_E, C6_F, C6_G, C6_H, C6_I, C6_J, C6_K, C6_L, C6_M, C6_N, C6_O, C8_A, C8_B, C8_C, C8_D, | 112 | 2.2uF | CGA3E1X7S1C225M080AC | TDK | CAP, CERM, 2.2 μ F, 16 V, +/- 20%, X7S, AEC-Q200 Grade 1, 0603 | 0603 |
| 4 | C9, C61, C63 | 3 | 10uF | GRM21BR71A106ME51L | MuRata | CAP, CERM, 10 μ F, 10 V, +/- 20%, X7R, 0805 | 0805 |

| | | | | | | | | |
|---|--|-----|--------|--------------------|--------|--|------|--|
| 5 | C12_A, C12_B, C12_C, C12_D, C12_E, C12_F, C12_G, C12_H, C12_I, C12_J, C12_K, C12_L, C12_M, C12_N, C12_O, C13_A, C13_B, C13_C, C13_D, C13_E, C13_F, C13_G, C13_H, C13_I, C13_J, C13_K, C13_L, C13_M, C13_N, C13_O, C18_A, C18_B, C18_C, C18_D, C18_E, C18_F, C18_G, C18_H, C18_I, C18_J, C18_K, C18_L, C18_M, C18_N, C18_O, C19_A, C19_B, C19_C, C19_D, C19_E, C19_F, C19_G, C19_H, C19_I, C19_J, C19_K, C19_L, C19_M, C19_N, C19_O | 60 | 1000pF | C1206C102KGRACAUTO | Kemet | CAP, CERM, 1000 pF, 2000 V, +/- 10%, X7R, AEC-Q200 Grade 1, 1206 | 1206 | |
| 6 | C14_A, C14_B, C14_C, C14_D, C14_E, C14_F, C14_G, C14_H, C14_I, C14_J, C14_K, C14_L, C14_M, C14_N, C14_O, C15_A, C15_B, C15_C, C15_D, C15_E, C15_F, C15_G, C15_H, C15_I, C15_J, C15_K, C15_L, C15_M, C15_N, C15_O, C16_A, C16_B, C16_C, C16_D, C16_E, C16_F, C16_G, C16_H, C16_I, C16_J, C16_K, C16_L, C16_M, C16_N, C16_O, C17_A, C17_B, C17_C, C17_D, C17_E, C17_F, C17_G, C17_H, C17_I, C17_J, C17_K, C17_L, C17_M, C17_N, C17_O, C20_A, C20_B, C20_C, C20_D, | 121 | 51pF | GRM1885C1H510JA01D | MuRata | CAP, CERM, 51 pF, 50 V, +/- 5%, C0G/NP0, 0603 | 0603 | |

| | | | | | | | | |
|---|--|-----|--------|----------------------|--------|---|------|--|
| 7 | C24_A, C24_B, C24_C, C24_D, C24_E, C24_F, C24_G, C24_H, C24_I, C24_J, C24_K, C24_L, C24_M, C24_N, C24_O, C24_P, C27_A, C27_B, C27_C, C27_D, C27_E, C27_F, C27_G, C27_H, C27_I, C27_J, C27_K, C27_L, C27_M, C27_N, C27_O, C27_P, C32_A, C32_B, C32_C, C32_D, C32_E, C32_F, C32_G, C32_H, C32_I, C32_J, C32_K, C32_L, C32_M, C32_N, C32_O, C32_P, C35_A, C35_B, C35_C, C35_D, C35_E, C35_F, C35_G, C35_H, C35_I, C35_J, C35_K, C35_L, C35_M, C35_N, C35_O, C35_P, | 96 | 0.1uF | CGA5L2X7R2A104K160AA | TDK | CAP, CERM, 0.1 μ F, 100 V, +/- 10%, X7R, AEC-Q200 Grade 1, 1206 | 1206 | |
| 8 | C25_A, C25_B, C25_C, C25_D, C25_E, C25_F, C25_G, C25_H, C25_I, C25_J, C25_K, C25_L, C25_M, C25_N, C25_O, C25_P, C26_A, C26_B, C26_C, C26_D, C26_E, C26_F, C26_G, C26_H, C26_I, C26_J, C26_K, C26_L, C26_M, C26_N, C26_O, C26_P, C28_A, C28_B, C28_C, C28_D, C28_E, C28_F, C28_G, C28_H, C28_I, C28_J, C28_K, C28_L, C28_M, C28_N, C28_O, C28_P, C31_A, C31_B, C31_C, C31_D, C31_E, C31_F, C31_G, C31_H, C31_I, C31_J, C31_K, C31_L, C31_M, C31_N, C31_O, C31_P, | 160 | 0.47uF | GCM188R71C474KA55D | MuRata | CAP, CERM, 0.47 μ F, 16 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0603 | 0603 | |

| | | | | | | | | |
|----|---|----|--------|----------------------|-----|--|------|--|
| 9 | C29_A, C29_B, C29_C, C29_D, C29_E, C29_F, C29_G, C29_H, C29_I, C29_J, C29_K, C29_L, C29_M, C29_N, C29_O, C29_P, C30_A, C30_B, C30_C, C30_D, C30_E, C30_F, C30_G, C30_H, C30_I, C30_J, C30_K, C30_L, C30_M, C30_N, C30_O, C30_P, C40_A, C40_B, C40_C, C40_D, C40_E, C40_F, C40_G, C40_H, C40_I, C40_J, C40_K, C40_L, C40_M, C40_N, C40_O, C40_P, C41_A, C41_B, C41_C, C41_D, C41_E, C41_F, C41_G, C41_H, C41_I, C41_J, C41_K, C41_L, C41_M, C41_N, C41_O, C41_P | 64 | 0.33uF | CGA3E3X7R1H334K080AB | TDK | CAP, CERM, 0.33 µF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0603 | 0603 | |
| 10 | C33_A, C33_B, C33_C, C33_D, C33_E, C33_F, C33_G, C33_H, C33_I, C33_J, C33_K, C33_L, C33_M, C33_N, C33_O, C33_P, C34_A, C34_B, C34_C, C34_D, C34_E, C34_F, C34_G, C34_H, C34_I, C34_J, C34_K, C34_L, C34_M, C34_N, C34_O, C34_P, C36_A, C36_B, C36_C, C36_D, C36_E, C36_F, C36_G, C36_H, C36_I, C36_J, C36_K, C36_L, C36_M, C36_N, C36_O, C36_P, C37_A, C37_B, C37_C, C37_D, C37_E, C37_F, C37_G, C37_H, C37_I, C37_J, C37_K, C37_L, C37_M, C37_N, C37_O, C37_P | 64 | 1uF | CGA4J3X8R1C105K125AB | TDK | CAP, CERM, 1 µF, 16 V, +/- 20%, X8R, AEC-Q200 Grade 0, 0805 | 0805 | |

| | | | | | | | |
|----|--|----|---------|----------------------|---------------------------------|---|---------------|
| 11 | C56, C59 | 2 | 1000pF | C0603C102K3GACTU | Kemet | CAP, CERM, 1000 pF, 25 V, +/- 10%, C0G/NP0, 0603 | 0603 |
| 12 | C60, C62, C64, C65, C66, C67, C68, C69, C73, C75, C77, C78, C79, C80, C81, C85, C86, C87, C88, C89, C90, C91, C92, C93, C94, C99, C101, C120, C122, C131, C132, C134, C137, C139 | 34 | 0.1uF | CL05B104KP5NNNC | Samsung Electro-Mechanics | CAP, CERM, 0.1 µF, 10 V, +/- 10%, X7R, 0402 | 0402 |
| 13 | C70, C71, C72, C74, C144, C145, C146 | 7 | 47pF | CGA2B2NP01H470J050BA | TDK | CAP, CERM, 47 pF, 50 V, +/- 5%, C0G/NP0, AEC-Q200 Grade 0, 0402 | 0402 |
| 14 | C76, C82, C105, C106, C115, C116, C118, C140 | 8 | 4.7uF | CGA4J1X7R1V475K125AC | TDK | CAP, CERM, 4.7 µF, 35 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0805 | 0805 |
| 15 | C83, C84, C110 | 3 | 10pF | 885012005055 | Wurth Elektronik | CAP, CERM, 10 pF, 50 V, +/- 5%, C0G/NP0, 0402 | 0402 |
| 16 | C95, C96, C112, C123, C124, C125, C126, C141 | 8 | 10uF | GRT31CR61H106KE01L | MuRata | CAP, CERM, 10 µF, 50 V, +/- 10%, X5R, AEC-Q200 Grade 1, 1206 | 1206 |
| 17 | C97, C98, C107 | 3 | 0.015uF | CGA2B3X7R1H153K050BB | TDK | CAP, CERM, 0.015 µF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0402 | 0402 |
| 18 | C100, C129 | 2 | 0.01uF | CGA2B3X7R1H103K050BB | TDK | CAP, CERM, 0.01 µF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0402 | 0402 |
| 19 | C102, C103, C104 | 3 | 10uF | CGA6P3X8R1C106K250AB | TDK | CAP, CERM, 10 µF, 16 V, +/- 10%, X8R, AEC-Q200 Grade 0, 1210 | 1210 |
| 20 | C108 | 1 | 1000pF | CGA2B2X7R1H102K050BA | TDK | CAP, CERM, 1000 pF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0402 | 0402 |
| 21 | C109 | 1 | 1500pF | CGA2B2X7R1H152K050BA | TDK | CAP, CERM, 1500 pF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0402 | 0402 |
| 22 | C111 | 1 | 3300pF | CGA2B2X7R1H332K050BA | TDK | CAP, CERM, 3300 pF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0402 | 0402 |
| 23 | C113, C114, C117, C142 | 4 | 0.1uF | GRM188R71H104KA93D | MuRata | CAP, CERM, 0.1 µF, 50 V, +/- 10%, X7R, 0603 | 0603 |
| 24 | C119, C121, C127, C128, C150 | 5 | 2.2uF | GRM188R71A225KE15D | MuRata | CAP, CERM, 2.2 µF, 10 V, +/- 10%, X7R, 0603 | 0603 |
| 25 | C130, C143 | 2 | 22uF | GCM32ER71C226KE19L | MuRata | CAP, CERM, 22 µF, 16 V, +/- 10%, X7R, 1210 | 1210 |
| 26 | C133 | 1 | 0.022uF | GRM188R71H223KA01D | MuRata | CAP, CERM, 0.022 µF, 50 V, +/- 10%, X7R, 0603 | 0603 |
| 27 | C135, C138 | 2 | 0.01uF | GRM188R71H103KA01D | MuRata | CAP, CERM, 0.01 µF, 50 V, +/- 10%, X7R, 0603 | 0603 |
| 28 | C136 | 1 | 4700pF | CGA3E2X7R2A472K080AA | TDK | CAP, CERM, 4700 pF, 100 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0603 | 0603 |
| 29 | C147, C148 | 2 | 15uF | CGA9P3X7S2A156M250KB | TDK | CAP, CERM, 15 µF, 100 V, +/- 20%, X7S, AEC-Q200 Grade 1, 2220 | 2220 |
| 30 | C149 | 1 | 10uF | CGA6P3X7S1H106K250AB | TDK | CAP, CERM, 10 µF, 50 V, +/- 10%, X7S, AEC-Q200 Grade 1, 1210 | 1210 |
| 31 | C151 | 1 | 47uF | EMVH350ADA470MHA0G | Chemi-Con | CAP, AL, 47 µF, 35 V, +/- 20%, 0.4 ohm, SMD | HA0 |
| 32 | Comms Jumper | 1 | | 219-4MST | CTS Electrocomponents | Switch, SPST, Slide, Off-On, 4 Pos, 0.1A, 20V, SMD | 11.63x6.7mm |
| 33 | D2, D3 | 2 | 20V | MBR0520LT1G | ON Semiconductor | Diode, Schottky, 20 V, 0.5 A, SOD-123 | SOD-123 |
| 34 | D4, D9 | 2 | Green | 150060VS75000 | Wurth Elektronik | LED, Green, SMD | LED_0603 |
| 35 | D5 | 1 | 40V | FSV340AF | Fairchild Semiconductor | Diode, Schottky, 40 V, 3 A, AEC-Q101, SMAF | SMAF |
| 36 | D6 | 1 | 3.9V | BZT52C3V9T-7 | Diodes Inc. | Diode, Zener, 3.9 V, 300 mW, SOD-523 | SOD-523 |
| 37 | D7 | 1 | 5.6V | BZT52C5V6T-7 | Diodes Inc. | Diode, Zener, 5.6 V, 300 mW, SOD-523 | SOD-523 |
| 38 | D8 | 1 | 30V | RB080L-30TE25 | Rohm | Diode, Schottky, 30 V, 5 A, SMA | SMA |
| 39 | D10 | 1 | Orange | SML-311DTT86 | Rohm | LED, Orange, SMD | 1.6x0.8x0.8mm |
| 40 | D11 | 1 | Red | 150060RS75000 | Wurth Elektronik | LED, Red, SMD | LED_0603 |
| 41 | D12 | 1 | 90V | 1SS355 RRG | Taiwan Semiconductor | Diode, Switching, 90 V, 0.25 A, SOD-323F | SOD-323F |
| 42 | F1 | 1 | | PTS120660V010 | Eaton | Fuse, 0.1 A, 60 VDC, SMD | 3.25x1.65mm |
| 43 | FB1, FB2, FB3, FB4 | 4 | 40 ohm | MI0805K400R-10 | Laird-Signal Integrity Products | Ferrite Bead, 40 ohm @ 100 MHz, 1.5 A, 0805 | 0805 |
| 44 | FID4, FID5, FID6 | 3 | | N/A | N/A | Fiducial mark. There is nothing to buy or mount. | Fiducial |
| 45 | H1, H2, H3, H4 | 4 | | NY PMS 440 0025 PH | B&F Fastener Supply | Machine Screw, Round, #4-40 x 1/4, Nylon, Philips panhead | Screw |
| 46 | H5, H6 | 2 | | 39500-0009 | Molex | Terminal Block, 9 Pos, 3.5mm | |
| 47 | H7, H8 | 2 | | 50-57-9404 | Molex | Rectangular Housing Connector, 4 Pos, 2.54mm | |

| | | | | | | | |
|----|---|----|-------|----------------------|-----------------------------|--|---|
| 48 | J1, J2, J3, J4, J5 | 5 | | 34691-6201 | Molex | Header(shrouded), 2.54mm, 10x2, Tin, R/A, TH | Header, 2.54mm, 10x2, TH |
| 49 | J6 | 1 | | 22-12-4062 | Molex | Header, 0.5mm, 6x1, R/A, Gold, TH | Header, 0.5mm, 6x1, R/A, TH |
| 50 | J7 | 1 | | SBH11-PBPC-D07-ST-BK | Sullins Connector Solutions | Header (shrouded), 100 mil, 7x2, Gold, TH | 7x2 Shrouded Header |
| 51 | J8 | 1 | | 1759017 | Phoenix Contact | Header (Shrouded), 5.08mm, 2x1, Tin, R/A, TH | Header (Shrouded), 5.08mm, 2x1, R/A, TH |
| 52 | J9 | 1 | | 618009231121 | Wurth Elektronik | Receptacle, D-Sub, 9 Position, R/A, TH | Receptacle, D-Sub, 9 Position, R/A, TH |
| 53 | L1 | 1 | 22uH | XAL5050-223MEB | Coilcraft | Inductor, Shielded, Composite, 22 μ H, 3.4 A, 0.1 ohm, SMD | XAL5050 |
| 54 | L2 | 1 | 33uH | 744770133 | Wurth Elektronik | Inductor, Shielded Drum Core, Ferrite, 33 μ H, 3.2 A, 0.047 ohm, SMD | SMD |
| 55 | L3 | 1 | 100uH | ACT45B-101-2P-TL003 | TDK | Inductor, Ferrite, 100 μ H, 0.15 A, 2 ohm, SMD | SMD, 4-Leads, Body 4.7 x 3.7 mm |
| 56 | L4 | 1 | 2.2uH | XAL4020-222MEB | Coilcraft | Inductor, Shielded, Composite, 2.2 μ H, 5.5 A, 0.04 ohm, SMD | 4x2.1x4mm |
| 57 | Q1 | 1 | 100V | CSD19532Q5B | Texas Instruments | MOSFET, N-CH, 100 V, 17 A, DNK0008A (VSON-CLIP-8) | DNK0008A |
| 58 | Q2, Q3 | 2 | 60V | 2N7002-7-F | Diodes Inc. | MOSFET, N-CH, 60V, 0.17A, SOT-23 | SOT-23 |
| 59 | R1_A, R1_B, R1_C, R1_D, R1_E, R1_F, R1_G, R1_H, R1_I, R1_J, R1_K, R1_L, R1_M, R1_N, R1_O, R32 | 16 | 40.2 | RC1206FR-0740R2L | Yageo America | RES, 40.2, 1%, 0.25 W, 1206 | 1206 |
| 60 | R2_A, R2_B, R2_C, R2_D, R2_E, R2_F, R2_G, R2_H, R2_I, R2_J, R2_K, R2_L, R2_M, R2_N, R2_O, R4_A, R4_B, R4_C, R4_D, R4_E, R4_F, R4_G, R4_H, R4_I, R4_J, R4_K, R4_L, R4_M, R4_N, R4_O, R33, R38 | 32 | 100 | ESR03EZPJ101 | Rohm | RES, 100, 5%, 0.25 W, AEC-Q200 Grade 0, 0603 | 0603 |

| | | | | | | | | |
|----|--|-----|-------|------------------|---------------|------------------------------|------|--|
| 61 | R3, R5, R8_A, R8_B, R8_C, R8_D, R8_E, R8_F, R8_G, R8_H, R8_I, R8_J, R8_K, R8_L, R8_M, R8_N, R8_O, R9_A, R9_B, R9_C, R9_D, R9_E, R9_F, R9_G, R9_H, R9_I, R9_J, R9_K, R9_L, R9_M, R9_N, R9_O, R14_A, R14_B, R14_C, R14_D, R14_E, R14_F, R14_G, R14_H, R14_I, R14_J, R14_K, R14_L, R14_M, R14_N, R14_O, R15_A, R15_B, R15_C, R15_D, R15_E, R15_F, R15_G, R15_H, R15_I, R15_J, R15_K, R15_L, R15_M, R15_N, R15_O, R34, R39, R40, R41, | 68 | 10.0k | CRCW060310K0FKEA | Vishay-Dale | RES, 10.0 k, 1%, 0.1 W, 0603 | 0603 | |
| 62 | R6_A, R6_B, R6_C, R6_D, R6_E, R6_F, R6_G, R6_H, R6_I, R6_J, R6_K, R6_L, R6_M, R6_N, R6_O, R7_A, R7_B, R7_C, R7_D, R7_E, R7_F, R7_G, R7_H, R7_I, R7_J, R7_K, R7_L, R7_M, R7_N, R7_O, R10_A, R10_B, R10_C, R10_D, R10_E, R10_F, R10_G, R10_H, R10_I, R10_J, R10_K, R10_L, R10_M, R10_N, R10_O, R11_A, R11_B, R11_C, R11_D, R11_E, R11_F, R11_G, R11_H, R11_I, R11_J, R11_K, R11_L, R11_M, R11_N, R11_O, R12_A, R12_B, R12_C, R12_D, | 120 | 49.9 | RC0603FR-0749R9L | Yageo America | RES, 49.9, 1%, 0.1 W, 0603 | 0603 | |

| | | | | | | | | |
|----|--|-----|------|---------------|-----------|--|------|--|
| 63 | R18_A, R18_B, R18_C, R18_D, R18_E, R18_F, R18_G, R18_H, R18_I, R18_J, R18_K, R18_L, R18_M, R18_N, R18_O, R18_P, R20_A, R20_B, R20_C, R20_D, R20_E, R20_F, R20_G, R20_H, R20_I, R20_J, R20_K, R20_L, R20_M, R20_N, R20_O, R20_P, R22_A, R22_B, R22_C, R22_D, R22_E, R22_F, R22_G, R22_H, R22_I, R22_J, R22_K, R22_L, R22_M, R22_N, R22_O, R22_P, R24_A, R24_B, R24_C, R24_D, R24_E, R24_F, R24_G, R24_H, R24_I, R24_J, R24_K, R24_L, R24_M, R24_N, R24_O, R24_P, | 112 | 40.2 | ERJ-3EKF40R2V | Panasonic | RES, 40.2, 1%, 0.1 W, AEC-Q200 Grade 0, 0603 | 0603 | |
| 64 | R19_A, R19_B, R19_C, R19_D, R19_E, R19_F, R19_G, R19_H, R19_I, R19_J, R19_K, R19_L, R19_M, R19_N, R19_O, R19_P, R21_A, R21_B, R21_C, R21_D, R21_E, R21_F, R21_G, R21_H, R21_I, R21_J, R21_K, R21_L, R21_M, R21_N, R21_O, R21_P, R23_A, R23_B, R23_C, R23_D, R23_E, R23_F, R23_G, R23_H, R23_I, R23_J, R23_K, R23_L, R23_M, R23_N, R23_O, R23_P, R25_A, R25_B, R25_C, R25_D, R25_E, R25_F, R25_G, R25_H, R25_I, R25_J, R25_K, R25_L, R25_M, R25_N, R25_O, R25_P, | 112 | 10.0 | ERJ-14NF10R0U | Panasonic | RES, 10.0, 1%, 0.5 W, AEC-Q200 Grade 0, 1210 | 1210 | |

| | | | | | | | |
|----|--|----|-------|-----------------------|---------------------------|--|--------------------|
| 65 | R35, R54 | 2 | 100k | RMCF0402FT100K | Stackpole Electronics Inc | RES, 100 k, 1%, 0.063 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 66 | R36, R37, R78 | 3 | 10.0k | CRCW060310K0FKEA | Vishay-Dale | RES, 10.0k ohm, 1%, 0.1W, 0603 | 0603 |
| 67 | R43, R44, R45, R62, R64, R65, R67, R90, R91 | 9 | 47 | ERJ-2GEJ470X | Panasonic | RES, 47, 5%, 0.1 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 68 | R46, R47, R49, R83, R84, R85, R86, R87, R88, R92, R93 | 11 | 10.0k | CRCW040210K0DHEDP | Vishay-Dale | RES, 10.0 k, 0.5%, 0.063 W, 0402 | 0402 |
| 69 | R48, R69, R71, R74, R75, R89 | 6 | 1.00k | ERJ-2RKF1001X | Panasonic | RES, 1.00 k, 1%, 0.1 W, 0402 | 0402 |
| 70 | R50, R51, R52, R55, R66, R80, R81 | 7 | 0 | RK73Z1ETTP | KOA Speer | RES, 0, 5%, 0.063 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 71 | R53 | 1 | 10k | ERJ-2GEJ103X | Panasonic | RES, 10 k, 5%, 0.1 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 72 | R56 | 1 | 71.5k | ERJ-2RKF7152X | Panasonic | RES, 71.5 k, 1%, 0.1 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 73 | R57 | 1 | 10.0 | RMCF0402JT10R0 | Stackpole Electronics Inc | RES, 10.0, 1%, 0.063 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 74 | R58 | 1 | 40.2k | ERJ-2RKF4022X | Panasonic | RES, 40.2 k, 1%, 0.1 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 75 | R59 | 1 | 300k | CRCW0402300KFKED | Vishay-Dale | RES, 300 k, 1%, 0.063 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 76 | R60 | 1 | 23.7k | ERJ-2RKF2372X | Panasonic | RES, 23.7 k, 1%, 0.1 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 77 | R61 | 1 | 76.8k | ERA-2AEB7682X | Panasonic | RES, 76.8 k, 0.1%, 0.063 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 78 | R63 | 1 | 0.15 | ERJ-3RSFR15V | Panasonic | RES, 0.15, 1%, 0.1 W, 0603 | 0603 |
| 79 | R68 | 1 | 3.48k | CRCW06033K48FKEA | Vishay-Dale | RES, 3.48 k, 1%, 0.1 W, 0603 | 0603 |
| 80 | R70 | 1 | 24.9k | CRCW060324K9FKEA | Vishay-Dale | RES, 24.9 k, 1%, 0.1 W, 0603 | 0603 |
| 81 | R72, R79 | 2 | 0 | CRCW04020000Z0ED | Vishay-Dale | RES, 0, 5%, 0.063 W, 0402 | 0402 |
| 82 | R73, R77 | 2 | 60.4 | ERJ-8ENF60R4V | Panasonic | RES, 60.4, 1%, 0.25 W, 1206 | 1206 |
| 83 | R76 | 1 | 120 | RT0603BRD07120RL | Yageo America | RES, 120, 0.1%, 0.1 W, 0603 | 0603 |
| 84 | R94 | 1 | 10.0k | CRCW060310K0FKEA | Vishay-Dale | RES, 10.0 k, 1%, 0.1 W, AEC-Q200 Grade 0, 0603 | 0603 |
| 85 | R95, R96, R97, R98, R99 | 6 | 0 | CRCW04020000Z0ED | Vishay-Dale | RES, 0, 5%, 0.063 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 86 | S1 | 1 | | 218-2LPST | CTS Electrocomponents | Switch, SPST, 2 Pos, 25mA, 24VDC, SMD | 3.71x5.8mm |
| 87 | ST1, ST2, ST3, ST4 | 4 | | 1902C | Keystone | Standoff, Hex, 0.5" L #4-40 Nylon | Standoff |
| 88 | T1 | 1 | 475uH | 760390014 | Wurth Elektronik | Transformer, 475uH, SMT | 10.05x4.19x6.73 mm |
| 89 | U1_A, U1_B, U1_C, U1_D, U1_E, U1_F, U1_G, U1_H, U1_I, U1_J, U1_K, U1_L, U1_M, U1_N, U1_O, U2 | 16 | | BQ79606PHPQ1 | Texas Instruments | SafeTI Precision Monitor With Integrated Hardware Protector for Multi-Cell Lithium-Ion and Lithium Phosphate Battery Pack Automotive Applications SYSTEMS SPECIFICATION, PHP0048G (HTQFP-48) | PHP0048G |
| 90 | U3 | 1 | | TPS76333QDBVRQ1 | Texas Instruments | Single Output Automotive LDO, 150 mA, Fixed 3.3 V Output, 2.7 to 10 V Input, 5-pin SOT-23 (DBV), -40 to 125 degC, Green (RoHS & no Sb/Br) | DBV0005A |
| 91 | U4 | 1 | | SN6501QDBVRQ1 | Texas Instruments | Automotive Low-Noise 350 mA, 410 kHz Transformer Driver, DBV0005A (SOT-5) | DBV0005A |
| 92 | U5 | 1 | | ISO7742FQDWWRQ1 | Texas Instruments | High Speed, Robust EMC Reinforced Quad-Channel Digital Isolator, DW0016B (SOIC-16) | DW0016B |
| 93 | U6 | 1 | | TMS5700432APZQQ1 | Texas Instruments | 16- and 32-Bit RISC Flash Microcontroller, PZ0100A (LQFP-100) | PZ0100A |
| 94 | U7 | 1 | | TPS57160QDGQRQ1 | Texas Instruments | 1.5-A 60-V Step-Down DC-DC Converter With Eco-mode Control, DGQ0010D (VSSOP-10) | DGQ0010D |
| 95 | U8 | 1 | | LM5050Q1MKX-1/NOPB | Texas Instruments | High Side OR-ing FET Controller, DDC0006A (SOT-23-T-6) | DDC0006A |
| 96 | U9 | 1 | | TPS65381AQDAPRQ1 | Texas Instruments | Multi-Rail Power Supply for Microcontrollers in Safety Applications, DAP0032B (TSSOP-32) | DAP0032B |
| 97 | U10 | 1 | | TCAN1042HGVDQ1 | Texas Instruments | Automotive Fault Protected CAN Transceiver With Flexible Data-Rate, D0008A (SOIC-8) | D0008A |
| 98 | Y1 | 1 | | ABLSG-16.000MHZ-D2Y-T | Abracor Corporation | Crystal, 16 MHz, 18pF, SMD | 11.4x4.7mm |

| | | | | | | | | |
|-----|---|---|--------|--------------------|------------|--|----------|--|
| 99 | C7_A, C7_B, C7_C, C7_D, C7_E, C7_F, C7_G, C7_H, C7_I, C7_J, C7_K, C7_L, C7_M, C7_N, C7_O | 0 | 1000pF | C1206C102KGRACAUTO | Kemet | CAP, CERM, 1000 pF, 2000 V, +/- 10%, X7R, AEC-Q200 Grade 1, 1206 | 1206 | |
| 100 | D1_A, D1_B, D1_C, D1_D, D1_E, D1_F, D1_G, D1_H, D1_I, D1_J, D1_K, D1_L, D1_M, D1_N, D1_O, D1_P | 0 | 36V | SMAJ36CA | Littelfuse | Diode, TVS, Bi, 36 V, 400 W, SMA | SMA | |
| 101 | FID1, FID2, FID3 | 0 | | N/A | N/A | Fiducial mark. There is nothing to buy or mount. | Fiducial | |

Variant: 001
Generated: 10/16/2018 5:06:01 PM
TID #: N/A

TIDA-01537 REV E1 Bill of Materials



| Item # | Designator | Quantity | Value | PartNumber | Manufacturer | Description | PackageReference |
|--------|--|----------|--------|----------------------|--------------|--|------------------|
| 1 | !PCB1 | 1 | | TIDA-01537 | Any | Printed Circuit Board | |
| 2 | C1_A, C1_B, C1_C, C1_D, C1_E, C1_F, C1_G, C1_H, C1_I, C1_J, C1_K, C1_L, C1_M, C1_N, C1_O, C2_A, C2_B, C2_C, C2_D, C2_E, C2_F, C2_G, C2_H, C2_I, C2_J, C2_K, C2_L, C2_M, C2_N, C2_O, C48, C49 | 32 | 0.33uF | GCM31MR71H334KA37L | MuRata | CAP, CERM, 0.33 µF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 1206 | 1206 |
| 3 | C3_A, C3_B, C3_C, C3_D, C3_E, C3_F, C3_G, C3_H, C3_I, C3_J, C3_K, C3_L, C3_M, C3_N, C3_O, C4_A, C4_B, C4_C, C4_D, C4_E, C4_F, C4_G, C4_H, C4_I, C4_J, C4_K, C4_L, C4_M, C4_N, C4_O, C5_A, C5_B, C5_C, C5_D, C5_E, C5_F, C5_G, C5_H, C5_I, C5_J, C5_K, C5_L, C5_M, C5_N, C5_O, C6_A, C6_B, C6_C, C6_D, C6_E, C6_F, C6_G, C6_H, C6_I, C6_J, C6_K, C6_L, C6_M, C6_N, C6_O, C8_A, C8_B, C8_C, C8_D, | 112 | 2.2uF | CGA3E1X7S1C225M080AC | TDK | CAP, CERM, 2.2 µF, 16 V, +/- 20%, X7S, AEC-Q200 Grade 1, 0603 | 0603 |
| 4 | C9, C61, C63 | 3 | 10uF | GRM21BR71A106ME51L | MuRata | CAP, CERM, 10 µF, 10 V, +/- 20%, X7R, 0805 | 0805 |

| | | | | | | | | |
|---|--|-----|--------|--------------------|--------|--|------|--|
| 5 | C12_A, C12_B, C12_C, C12_D, C12_E, C12_F, C12_G, C12_H, C12_I, C12_J, C12_K, C12_L, C12_M, C12_N, C12_O, C13_A, C13_B, C13_C, C13_D, C13_E, C13_F, C13_G, C13_H, C13_I, C13_J, C13_K, C13_L, C13_M, C13_N, C13_O, C18_A, C18_B, C18_C, C18_D, C18_E, C18_F, C18_G, C18_H, C18_I, C18_J, C18_K, C18_L, C18_M, C18_N, C18_O, C19_A, C19_B, C19_C, C19_D, C19_E, C19_F, C19_G, C19_H, C19_I, C19_J, C19_K, C19_L, C19_M, C19_N, C19_O | 60 | 1000pF | C1206C102KGRACAUTO | Kemet | CAP, CERM, 1000 pF, 2000 V, +/- 10%, X7R, AEC-Q200 Grade 1, 1206 | 1206 | |
| 6 | C14_A, C14_B, C14_C, C14_D, C14_E, C14_F, C14_G, C14_H, C14_I, C14_J, C14_K, C14_L, C14_M, C14_N, C14_O, C15_A, C15_B, C15_C, C15_D, C15_E, C15_F, C15_G, C15_H, C15_I, C15_J, C15_K, C15_L, C15_M, C15_N, C15_O, C16_A, C16_B, C16_C, C16_D, C16_E, C16_F, C16_G, C16_H, C16_I, C16_J, C16_K, C16_L, C16_M, C16_N, C16_O, C17_A, C17_B, C17_C, C17_D, C17_E, C17_F, C17_G, C17_H, C17_I, C17_J, C17_K, C17_L, C17_M, C17_N, C17_O, C20_A, C20_B, C20_C, C20_D, | 121 | 51pF | GRM1885C1H510JA01D | MuRata | CAP, CERM, 51 pF, 50 V, +/- 5%, C0G/NP0, 0603 | 0603 | |

| | | | | | | | | |
|---|--|-----|--------|----------------------|--------|--|------|--|
| 7 | C24_A, C24_B, C24_C, C24_D, C24_E, C24_F, C24_G, C24_H, C24_I, C24_J, C24_K, C24_L, C24_M, C24_N, C24_O, C24_P, C27_A, C27_B, C27_C, C27_D, C27_E, C27_F, C27_G, C27_H, C27_I, C27_J, C27_K, C27_L, C27_M, C27_N, C27_O, C27_P, C32_A, C32_B, C32_C, C32_D, C32_E, C32_F, C32_G, C32_H, C32_I, C32_J, C32_K, C32_L, C32_M, C32_N, C32_O, C32_P, C35_A, C35_B, C35_C, C35_D, C35_E, C35_F, C35_G, C35_H, C35_I, C35_J, C35_K, C35_L, C35_M, C35_N, C35_O, C35_P, | 96 | 0.1uF | CGA5L2X7R2A104K160AA | TDK | CAP, CERM, 0.1 µF, 100 V, +/- 10%, X7R, AEC-Q200 Grade 1, 1206 | 1206 | |
| 8 | C25_A, C25_B, C25_C, C25_D, C25_E, C25_F, C25_G, C25_H, C25_I, C25_J, C25_K, C25_L, C25_M, C25_N, C25_O, C25_P, C26_A, C26_B, C26_C, C26_D, C26_E, C26_F, C26_G, C26_H, C26_I, C26_J, C26_K, C26_L, C26_M, C26_N, C26_O, C26_P, C28_A, C28_B, C28_C, C28_D, C28_E, C28_F, C28_G, C28_H, C28_I, C28_J, C28_K, C28_L, C28_M, C28_N, C28_O, C28_P, C31_A, C31_B, C31_C, C31_D, C31_E, C31_F, C31_G, C31_H, C31_I, C31_J, C31_K, C31_L, C31_M, C31_N, C31_O, C31_P, | 160 | 0.47uF | GCM188R71C474KA55D | MuRata | CAP, CERM, 0.47 µF, 16 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0603 | 0603 | |

| | | | | | | | | |
|----|---|----|--------|----------------------|-----|--|------|--|
| 9 | C29_A, C29_B, C29_C, C29_D, C29_E, C29_F, C29_G, C29_H, C29_I, C29_J, C29_K, C29_L, C29_M, C29_N, C29_O, C29_P, C30_A, C30_B, C30_C, C30_D, C30_E, C30_F, C30_G, C30_H, C30_I, C30_J, C30_K, C30_L, C30_M, C30_N, C30_O, C30_P, C40_A, C40_B, C40_C, C40_D, C40_E, C40_F, C40_G, C40_H, C40_I, C40_J, C40_K, C40_L, C40_M, C40_N, C40_O, C40_P, C41_A, C41_B, C41_C, C41_D, C41_E, C41_F, C41_G, C41_H, C41_I, C41_J, C41_K, C41_L, C41_M, C41_N, C41_O, C41_P | 64 | 0.33uF | CGA3E3X7R1H334K080AB | TDK | CAP, CERM, 0.33 µF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0603 | 0603 | |
| 10 | C33_A, C33_B, C33_C, C33_D, C33_E, C33_F, C33_G, C33_H, C33_I, C33_J, C33_K, C33_L, C33_M, C33_N, C33_O, C33_P, C34_A, C34_B, C34_C, C34_D, C34_E, C34_F, C34_G, C34_H, C34_I, C34_J, C34_K, C34_L, C34_M, C34_N, C34_O, C34_P, C36_A, C36_B, C36_C, C36_D, C36_E, C36_F, C36_G, C36_H, C36_I, C36_J, C36_K, C36_L, C36_M, C36_N, C36_O, C36_P, C37_A, C37_B, C37_C, C37_D, C37_E, C37_F, C37_G, C37_H, C37_I, C37_J, C37_K, C37_L, C37_M, C37_N, C37_O, C37_P | 64 | 1uF | CGA4J3X8R1C105K125AB | TDK | CAP, CERM, 1 µF, 16 V, +/- 20%, X8R, AEC-Q200 Grade 0, 0805 | 0805 | |

| | | | | | | | |
|----|--|----|----------|-----------------------|--|---|---------------|
| 11 | C56, C59 | 2 | 1000pF | C0603C102K3GACTU | Kemet | CAP, CERM, 1000 pF, 25 V, +/- 10%, C0G/NP0, 0603 | 0603 |
| 12 | C60, C62, C64, C65, C66, C67, C68, C69, C73, C75, C77, C78, C79, C80, C81, C85, C86, C87, C88, C89, C90, C91, C92, C93, C94, C99, C101, C120, C122, C131, C132, C134, C137, C139 | 34 | 0.1uF | CL05B104KP5NNNC | Samsung Electro-Mechanics | CAP, CERM, 0.1 µF, 10 V, +/- 10%, X7R, 0402 | 0402 |
| 13 | C70, C71, C72, C74, C144, C145, C146 | 7 | 47pF | CGA2B2NP01H470J050BA | TDK | CAP, CERM, 47 pF, 50 V, +/- 5%, C0G/NP0, AEC-Q200 Grade 0, 0402 | 0402 |
| 14 | C76, C82, C105, C106, C115, C116, C118, C140 | 8 | 4.7uF | CGA4J1X7R1V475K125AC | TDK | CAP, CERM, 4.7 µF, 35 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0805 | 0805 |
| 15 | C83, C84, C110 | 3 | 10pF | 885012005055 | Wurth Elektronik | CAP, CERM, 10 pF, 50 V, +/- 5%, C0G/NP0, 0402 | 0402 |
| 16 | C95, C96, C112, C123, C124, C125, C126, C141 | 8 | 10uF | GRT31CR61H106KE01L | MuRata | CAP, CERM, 10 µF, 50 V, +/- 10%, X5R, AEC-Q200 Grade 1, 1206 | 1206 |
| 17 | C97, C98, C107 | 3 | 0.015uF | CGA2B3X7R1H153K050BB | TDK | CAP, CERM, 0.015 µF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0402 | 0402 |
| 18 | C100, C129 | 2 | 0.01uF | CGA2B3X7R1H103K050BB | TDK | CAP, CERM, 0.01 µF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0402 | 0402 |
| 19 | C102, C103, C104 | 3 | 10uF | CGA6P3X8R1C106K250AB | TDK | CAP, CERM, 10 µF, 16 V, +/- 10%, X8R, AEC-Q200 Grade 0, 1210 | 1210 |
| 20 | C108 | 1 | 1000pF | CGA2B2X7R1H102K050BA | TDK | CAP, CERM, 1000 pF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0402 | 0402 |
| 21 | C109 | 1 | 1500pF | CGA2B2X7R1H152K050BA | TDK | CAP, CERM, 1500 pF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0402 | 0402 |
| 22 | C111 | 1 | 3300pF | CGA2B2X7R1H332K050BA | TDK | CAP, CERM, 3300 pF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0402 | 0402 |
| 23 | C113, C114, C117, C142 | 4 | 0.1uF | GRM188R71H104KA93D | MuRata | CAP, CERM, 0.1 µF, 50 V, +/- 10%, X7R, 0603 | 0603 |
| 24 | C119, C121, C127, C128, C150 | 5 | 2.2uF | GRM188R71A225KE15D | MuRata | CAP, CERM, 2.2 µF, 10 V, +/- 10%, X7R, 0603 | 0603 |
| 25 | C130, C143 | 2 | 22uF | GCM32ER71C226KE19L | MuRata | CAP, CERM, 22 µF, 16 V, +/- 10%, X7R, 1210 | 1210 |
| 26 | C133 | 1 | 0.022uF | GRM188R71H223KA01D | MuRata | CAP, CERM, 0.022 µF, 50 V, +/- 10%, X7R, 0603 | 0603 |
| 27 | C135, C138 | 2 | 0.01uF | GRM188R71H103KA01D | MuRata | CAP, CERM, 0.01 µF, 50 V, +/- 10%, X7R, 0603 | 0603 |
| 28 | C136 | 1 | 4700pF | CGA3E2X7R2A472K080AA | TDK | CAP, CERM, 4700 pF, 100 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0603 | 0603 |
| 29 | C147, C148 | 2 | 15uF | CGA9P3X7S2A156M250KB | TDK | CAP, CERM, 15 µF, 100 V, +/- 20%, X7S, AEC-Q200 Grade 1, 2220 | 2220 |
| 30 | C149 | 1 | 10uF | CGA6P3X7S1H106K250AB | TDK | CAP, CERM, 10 µF, 50 V, +/- 10%, X7S, AEC-Q200 Grade 1, 1210 | 1210 |
| 31 | C151 | 1 | 47uF | EMVH350ADA470MHA0G | Chemi-Con | CAP, AL, 47 µF, 35 V, +/- 20%, 0.4 ohm, SMD | HA0 |
| 32 | Comms Jumper | 1 | 219-4MST | CTS Electrocomponents | Switch, SPST, Slide, Off-On, 4 Pos, 0.1A, 20V, SMD | 11.63x6.7mm | |
| 33 | D2, D3 | 2 | 20V | MBR0520LT1G | ON Semiconductor | Diode, Schottky, 20 V, 0.5 A, SOD-123 | SOD-123 |
| 34 | D4, D9 | 2 | Green | 150060VS75000 | Wurth Elektronik | LED, Green, SMD | LED_0603 |
| 35 | D5 | 1 | 40V | FSV340AF | Fairchild Semiconductor | Diode, Schottky, 40 V, 3 A, AEC-Q101, SMAF | SMAF |
| 36 | D6 | 1 | 3.9V | BZT52C3V9T-7 | Diodes Inc. | Diode, Zener, 3.9 V, 300 mW, SOD-523 | SOD-523 |
| 37 | D7 | 1 | 5.6V | BZT52C5V6T-7 | Diodes Inc. | Diode, Zener, 5.6 V, 300 mW, SOD-523 | SOD-523 |
| 38 | D8 | 1 | 30V | RB080L-30TE25 | Rohm | Diode, Schottky, 30 V, 5 A, SMA | SMA |
| 39 | D10 | 1 | Orange | SML-311DTT86 | Rohm | LED, Orange, SMD | 1.6x0.8x0.8mm |
| 40 | D11 | 1 | Red | 150060RS75000 | Wurth Elektronik | LED, Red, SMD | LED_0603 |
| 41 | D12 | 1 | 90V | 1SS355 RRG | Taiwan Semiconductor | Diode, Switching, 90 V, 0.25 A, SOD-323F | SOD-323F |
| 42 | F1 | 1 | | PTS120660V010 | Eaton | Fuse, 0.1 A, 60 VDC, SMD | 3.25x1.65mm |
| 43 | FB1, FB2, FB3, FB4 | 4 | 40 ohm | MI0805K400R-10 | Laird-Signal Integrity Products | Ferrite Bead, 40 ohm @ 100 MHz, 1.5 A, 0805 | 0805 |
| 44 | FID4, FID5, FID6 | 3 | | N/A | N/A | Fiducial mark. There is nothing to buy or mount. | Fiducial |
| 45 | H1, H2, H3, H4 | 4 | | NY PMS 440 0025 PH | B&F Fastener Supply | Machine Screw, Round, #4-40 x 1/4, Nylon, Philips panhead | Screw |
| 46 | H5, H6 | 2 | | 39500-0009 | Molex | Terminal Block, 9 Pos, 3.5mm | |
| 47 | H7, H8 | 2 | | 50-57-9404 | Molex | Rectangular Housing Connector, 4 Pos, 2.54mm | |

| | | | | | | | |
|----|---|----|-------|----------------------|-----------------------------|--|---|
| 48 | J1, J2, J3, J4, J5 | 5 | | 34691-6201 | Molex | Header(shrouded), 2.54mm, 10x2, Tin, R/A, TH | Header, 2.54mm, 10x2, TH |
| 49 | J6 | 1 | | 22-12-4062 | Molex | Header, 0.5mm, 6x1, R/A, Gold, TH | Header, 0.5mm, 6x1, R/A, TH |
| 50 | J7 | 1 | | SBH11-PBPC-D07-ST-BK | Sullins Connector Solutions | Header (shrouded), 100 mil, 7x2, Gold, TH | 7x2 Shrouded Header |
| 51 | J8 | 1 | | 1759017 | Phoenix Contact | Header (Shrouded), 5.08mm, 2x1, Tin, R/A, TH | Header (Shrouded), 5.08mm, 2x1, R/A, TH |
| 52 | J9 | 1 | | 618009231121 | Wurth Elektronik | Receptacle, D-Sub, 9 Position, R/A, TH | Receptacle, D-Sub, 9 Position, R/A, TH |
| 53 | L1 | 1 | 22uH | XAL5050-223MEB | Coilcraft | Inductor, Shielded, Composite, 22 μ H, 3.4 A, 0.1 ohm, SMD | XAL5050 |
| 54 | L2 | 1 | 33uH | 744770133 | Wurth Elektronik | Inductor, Shielded Drum Core, Ferrite, 33 μ H, 3.2 A, 0.047 ohm, SMD | SMD |
| 55 | L3 | 1 | 100uH | ACT45B-101-2P-TL003 | TDK | Inductor, Ferrite, 100 μ H, 0.15 A, 2 ohm, SMD | SMD, 4-Leads, Body 4.7 x 3.7 mm |
| 56 | L4 | 1 | 2.2uH | XAL4020-222MEB | Coilcraft | Inductor, Shielded, Composite, 2.2 μ H, 5.5 A, 0.04 ohm, SMD | 4x2.1x4mm |
| 57 | Q1 | 1 | 100V | CSD19532Q5B | Texas Instruments | MOSFET, N-CH, 100 V, 17 A, DNK0008A (VSON-CLIP-8) | DNK0008A |
| 58 | Q2, Q3 | 2 | 60V | 2N7002-7-F | Diodes Inc. | MOSFET, N-CH, 60V, 0.17A, SOT-23 | SOT-23 |
| 59 | R1_A, R1_B, R1_C, R1_D, R1_E, R1_F, R1_G, R1_H, R1_I, R1_J, R1_K, R1_L, R1_M, R1_N, R1_O, R32 | 16 | 40.2 | RC1206FR-0740R2L | Yageo America | RES, 40.2, 1%, 0.25 W, 1206 | 1206 |
| 60 | R2_A, R2_B, R2_C, R2_D, R2_E, R2_F, R2_G, R2_H, R2_I, R2_J, R2_K, R2_L, R2_M, R2_N, R2_O, R4_A, R4_B, R4_C, R4_D, R4_E, R4_F, R4_G, R4_H, R4_I, R4_J, R4_K, R4_L, R4_M, R4_N, R4_O, R33, R38 | 32 | 100 | ESR03EZPJ101 | Rohm | RES, 100, 5%, 0.25 W, AEC-Q200 Grade 0, 0603 | 0603 |

| | | | | | | | | |
|----|--|-----|-------|------------------|---------------|------------------------------|------|--|
| 61 | R3, R5, R8_A, R8_B, R8_C, R8_D, R8_E, R8_F, R8_G, R8_H, R8_I, R8_J, R8_K, R8_L, R8_M, R8_N, R8_O, R9_A, R9_B, R9_C, R9_D, R9_E, R9_F, R9_G, R9_H, R9_I, R9_J, R9_K, R9_L, R9_M, R9_N, R9_O, R14_A, R14_B, R14_C, R14_D, R14_E, R14_F, R14_G, R14_H, R14_I, R14_J, R14_K, R14_L, R14_M, R14_N, R14_O, R15_A, R15_B, R15_C, R15_D, R15_E, R15_F, R15_G, R15_H, R15_I, R15_J, R15_K, R15_L, R15_M, R15_N, R15_O, R34, R39, R40, R41, | 68 | 10.0k | CRCW060310K0FKEA | Vishay-Dale | RES, 10.0 k, 1%, 0.1 W, 0603 | 0603 | |
| 62 | R6_A, R6_B, R6_C, R6_D, R6_E, R6_F, R6_G, R6_H, R6_I, R6_J, R6_K, R6_L, R6_M, R6_N, R6_O, R7_A, R7_B, R7_C, R7_D, R7_E, R7_F, R7_G, R7_H, R7_I, R7_J, R7_K, R7_L, R7_M, R7_N, R7_O, R10_A, R10_B, R10_C, R10_D, R10_E, R10_F, R10_G, R10_H, R10_I, R10_J, R10_K, R10_L, R10_M, R10_N, R10_O, R11_A, R11_B, R11_C, R11_D, R11_E, R11_F, R11_G, R11_H, R11_I, R11_J, R11_K, R11_L, R11_M, R11_N, R11_O, R12_A, R12_B, R12_C, R12_D, | 120 | 49.9 | RC0603FR-0749R9L | Yageo America | RES, 49.9, 1%, 0.1 W, 0603 | 0603 | |

| | | | | | | | | |
|----|--|-----|------|---------------|-----------|--|------|--|
| 63 | R18_A, R18_B, R18_C, R18_D, R18_E, R18_F, R18_G, R18_H, R18_I, R18_J, R18_K, R18_L, R18_M, R18_N, R18_O, R18_P, R20_A, R20_B, R20_C, R20_D, R20_E, R20_F, R20_G, R20_H, R20_I, R20_J, R20_K, R20_L, R20_M, R20_N, R20_O, R20_P, R22_A, R22_B, R22_C, R22_D, R22_E, R22_F, R22_G, R22_H, R22_I, R22_J, R22_K, R22_L, R22_M, R22_N, R22_O, R22_P, R24_A, R24_B, R24_C, R24_D, R24_E, R24_F, R24_G, R24_H, R24_I, R24_J, R24_K, R24_L, R24_M, R24_N, R24_O, R24_P, | 112 | 40.2 | ERJ-3EKF40R2V | Panasonic | RES, 40.2, 1%, 0.1 W, AEC-Q200 Grade 0, 0603 | 0603 | |
| 64 | R19_A, R19_B, R19_C, R19_D, R19_E, R19_F, R19_G, R19_H, R19_I, R19_J, R19_K, R19_L, R19_M, R19_N, R19_O, R19_P, R21_A, R21_B, R21_C, R21_D, R21_E, R21_F, R21_G, R21_H, R21_I, R21_J, R21_K, R21_L, R21_M, R21_N, R21_O, R21_P, R23_A, R23_B, R23_C, R23_D, R23_E, R23_F, R23_G, R23_H, R23_I, R23_J, R23_K, R23_L, R23_M, R23_N, R23_O, R23_P, R25_A, R25_B, R25_C, R25_D, R25_E, R25_F, R25_G, R25_H, R25_I, R25_J, R25_K, R25_L, R25_M, R25_N, R25_O, R25_P, | 112 | 10.0 | ERJ-14NF10R0U | Panasonic | RES, 10.0, 1%, 0.5 W, AEC-Q200 Grade 0, 1210 | 1210 | |

| | | | | | | | |
|----|---|----|-------|-----------------------|---------------------------|--|--------------------|
| 65 | R35, R54 | 2 | 100k | RMCF0402FT100K | Stackpole Electronics Inc | RES, 100 k, 1%, 0.063 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 66 | R36, R37, R78 | 3 | 10.0k | CRCW060310K0FKEA | Vishay-Dale | RES, 10.0k ohm, 1%, 0.1W, 0603 | 0603 |
| 67 | R43, R44, R45, R62, R64, R65, R67, R90, R91 | 9 | 47 | ERJ-2GEJ470X | Panasonic | RES, 47, 5%, 0.1 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 68 | R46, R47, R49, R83, R84, R85, R86, R87, R88, R92, R93 | 11 | 10.0k | CRCW040210K0DHEDP | Vishay-Dale | RES, 10.0 k, 0.5%, 0.063 W, 0402 | 0402 |
| 69 | R48, R69, R71, R74, R75, R89 | 6 | 1.00k | ERJ-2RKF1001X | Panasonic | RES, 1.00 k, 1%, 0.1 W, 0402 | 0402 |
| 70 | R50, R51, R52, R55, R66, R80, R81 | 7 | 0 | RK73Z1ETTP | KOA Speer | RES, 0, 5%, 0.063 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 71 | R53 | 1 | 10k | ERJ-2GEJ103X | Panasonic | RES, 10 k, 5%, 0.1 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 72 | R56 | 1 | 71.5k | ERJ-2RKF7152X | Panasonic | RES, 71.5 k, 1%, 0.1 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 73 | R57 | 1 | 10.0 | RMCF0402JT10R0 | Stackpole Electronics Inc | RES, 10.0, 1%, 0.063 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 74 | R58 | 1 | 40.2k | ERJ-2RKF4022X | Panasonic | RES, 40.2 k, 1%, 0.1 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 75 | R59 | 1 | 300k | CRCW0402300KFKED | Vishay-Dale | RES, 300 k, 1%, 0.063 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 76 | R60 | 1 | 23.7k | ERJ-2RKF2372X | Panasonic | RES, 23.7 k, 1%, 0.1 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 77 | R61 | 1 | 76.8k | ERA-2AEB7682X | Panasonic | RES, 76.8 k, 0.1%, 0.063 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 78 | R63 | 1 | 0.15 | ERJ-3RSFR15V | Panasonic | RES, 0.15, 1%, 0.1 W, 0603 | 0603 |
| 79 | R68 | 1 | 3.48k | CRCW06033K48FKEA | Vishay-Dale | RES, 3.48 k, 1%, 0.1 W, 0603 | 0603 |
| 80 | R70 | 1 | 24.9k | CRCW060324K9FKEA | Vishay-Dale | RES, 24.9 k, 1%, 0.1 W, 0603 | 0603 |
| 81 | R72, R79 | 2 | 0 | CRCW04020000Z0ED | Vishay-Dale | RES, 0, 5%, 0.063 W, 0402 | 0402 |
| 82 | R73, R77 | 2 | 60.4 | ERJ-8ENF60R4V | Panasonic | RES, 60.4, 1%, 0.25 W, 1206 | 1206 |
| 83 | R76 | 1 | 120 | RT0603BRD07120RL | Yageo America | RES, 120, 0.1%, 0.1 W, 0603 | 0603 |
| 84 | R94 | 1 | 10.0k | CRCW060310K0FKEA | Vishay-Dale | RES, 10.0 k, 1%, 0.1 W, AEC-Q200 Grade 0, 0603 | 0603 |
| 85 | R95, R96, R97, R98, R99 | 6 | 0 | CRCW04020000Z0ED | Vishay-Dale | RES, 0, 5%, 0.063 W, AEC-Q200 Grade 0, 0402 | 0402 |
| 86 | S1 | 1 | | 218-2LPST | CTS Electrocomponents | Switch, SPST, 2 Pos, 25mA, 24VDC, SMD | 3.71x5.8mm |
| 87 | ST1, ST2, ST3, ST4 | 4 | | 1902C | Keystone | Standoff, Hex, 0.5" L #4-40 Nylon | Standoff |
| 88 | T1 | 1 | 475uH | 760390014 | Wurth Elektronik | Transformer, 475uH, SMT | 10.05x4.19x6.73 mm |
| 89 | U1_A, U1_B, U1_C, U1_D, U1_E, U1_F, U1_G, U1_H, U1_I, U1_J, U1_K, U1_L, U1_M, U1_N, U1_O, U2 | 16 | | BQ79606PHPQ1 | Texas Instruments | SafeTI Precision Monitor With Integrated Hardware Protector for Multi-Cell Lithium-Ion and Lithium Phosphate Battery Pack Automotive Applications SYSTEMS SPECIFICATION, PHP0048G (HTQFP-48) | PHP0048G |
| 90 | U3 | 1 | | TPS76333QDBVRQ1 | Texas Instruments | Single Output Automotive LDO, 150 mA, Fixed 3.3 V Output, 2.7 to 10 V Input, 5-pin SOT-23 (DBV), -40 to 125 degC, Green (RoHS & no Sb/Br) | DBV0005A |
| 91 | U4 | 1 | | SN6501QDBVRQ1 | Texas Instruments | Automotive Low-Noise 350 mA, 410 kHz Transformer Driver, DBV0005A (SOT-5) | DBV0005A |
| 92 | U5 | 1 | | ISO7742FQDWQRQ1 | Texas Instruments | High Speed, Robust EMC Reinforced Quad-Channel Digital Isolator, DW0016B (SOIC-16) | DW0016B |
| 93 | U6 | 1 | | TMS5700432APZQQ1 | Texas Instruments | 16- and 32-Bit RISC Flash Microcontroller, PZ0100A (LQFP-100) | PZ0100A |
| 94 | U7 | 1 | | TPS57160QDGQRQ1 | Texas Instruments | 1.5-A 60-V Step-Down DC-DC Converter With Eco-mode Control, DGQ0010D (VSSOP-10) | DGQ0010D |
| 95 | U8 | 1 | | LM5050Q1MKX-1/NOPB | Texas Instruments | High Side OR-ing FET Controller, DDC0006A (SOT-23-T-6) | DDC0006A |
| 96 | U9 | 1 | | TPS65381AQDAPRQ1 | Texas Instruments | Multi-Rail Power Supply for Microcontrollers in Safety Applications, DAP0032B (TSSOP-32) | DAP0032B |
| 97 | U10 | 1 | | TCAN1042HGVDQ1 | Texas Instruments | Automotive Fault Protected CAN Transceiver With Flexible Data-Rate, D0008A (SOIC-8) | D0008A |
| 98 | Y1 | 1 | | ABLSG-16.000MHZ-D2Y-T | Abracor Corporation | Crystal, 16 MHz, 18pF, SMD | 11.4x4.7mm |

| | | | | | | | | |
|-----|---|---|--------|--------------------|------------|--|----------|--|
| 99 | C7_A, C7_B, C7_C, C7_D, C7_E, C7_F, C7_G, C7_H, C7_I, C7_J, C7_K, C7_L, C7_M, C7_N, C7_O | 0 | 1000pF | C1206C102KGRACAUTO | Kemet | CAP, CERM, 1000 pF, 2000 V, +/- 10%, X7R, AEC-Q200 Grade 1, 1206 | 1206 | |
| 100 | D1_A, D1_B, D1_C, D1_D, D1_E, D1_F, D1_G, D1_H, D1_I, D1_J, D1_K, D1_L, D1_M, D1_N, D1_O, D1_P | 0 | 36V | SMAJ36CA | Littelfuse | Diode, TVS, Bi, 36 V, 400 W, SMA | SMA | |
| 101 | FID1, FID2, FID3 | 0 | | N/A | N/A | Fiducial mark. There is nothing to buy or mount. | Fiducial | |

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (www.ti.com/legal/termsofsale.html) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2018, Texas Instruments Incorporated