

1	2	3	4	5	6
A					
B					
C					
D					

Page 2

Block Diagram

Page 3

50 Pin Connector to EVM Board, Hot Swap controller, EEPROM

Page 4

Isolated SPI & Isolated Fly buck Power Supply

Page 5

Analog Output With Adaptive PS

Page 6

Mounting holes, Fiducials Marking


Revision History

Revision	Notes

Texas Instruments and/or its licensors do not warrant the accuracy or completeness of this specification or any information contained therein. Texas Instruments and/or its licensors do not warrant that this design will meet the specifications, will be suitable for your application or fit for any particular purpose, or will operate in an implementation. Texas Instruments and/or its licensors do not warrant that the design is production worthy. You should completely validate and test your design implementation to confirm the system functionality for your application.

Number: [TIDA-00231](#) | Rev: [E1](#) |  
SVN Rev: Not in version control | Drawn By: [Amol Gadkari](#) |  
Engineer: [Amol Gadkari](#) |

Designed for: [Public Release](#) | Mod. Date: 8/24/2014 |  
Project Title: [Adaptive Power Supply for DAC](#) |  
Sheet Title: [Pg1 Index Page.SchDoc](#) |  
File: [Pg1 Index Page.SchDoc](#) | Size: B |  
Contact: [http://www.ti.com/support](#) |

 **TEXAS  
INSTRUMENTS**

<http://www.ti.com>  
© Texas Instruments 2014



