

Texas Instruments Robotics System Learning Kit





Module 2

Activity: Voltage, Current and Power

Activity: Voltage, Current and Power

Question 1

If a 1000 ohm resistor is placed in parallel with 2000 ohm resistor, what is the equivalence resistance of the two?

Question 2

If a 1 k Ω resistor is placed in series with a 2 k Ω resistor, what is the equivalence resistance of the two?

Question 3

5 volts is placed across a 1 k Ω resistor, how much current flows?

Question 4

A 1uF capacitor has what reactance at 1 kHz?

Question 5

A 1 volt AC signal, with a frequency of 1 MHz, is placed across a 1 nF capacitor. How much current will flow?

Question 6

A 1 volt DC signal is placed across a 1 nF capacitor. How much current will flow?

Question 7

A 10 k Ω resistor is placed in series with a 0.1 uF capacitor. What is the cutoff frequency of this combination? What is the reactance of the capacitor at this frequency?

Question 8

A resistor is placed in series with a 0.22 uF capacitor. If you wish to set the cutoff frequency at 1 kHz, what resistor value should you choose?

Question 9

The HLMP-4700 red LED runs at 1.7 V and 2 mA. The Luminous Efficacy is 150 lumens/watt. What is the brightness in lumens?

ti.com/rslk



IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (www.ti.com/legal/termsofsale.html) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2019, Texas Instruments Incorporated