Assembly Bill of Materials

Texas Instruments

Enter search term in cell K2
below

Search Findchips.com
Search Digi-Key
Search Mouser
Search Newark
Search RS Components

Project Name:	PMP7837 REVC
Project File:	PMP7837 REVC.PrjPcb
Base ID:	<parameter found="" not="" prj_number=""></parameter>
Schematic Rev:	X1
Assembly Variant:	-200 REVC
Build Quantity:	100
Generated:	7/8/2013 11:36:35 AM

Designates Postport Proposition Prop	er 1 Supplier 2			
2 CLC 2.19, CDC CD		Supplier Part Number 2	Alternate Manufacturer	Alternate PartNumber
Cit. Cit. Cos. Cos.			-	-
COL. COS. CO.			-	-
3				
COL COT COS. COL COS.	Newark	24R6347		
C24, C35, C36, C36, C37, C32, C39, C36, C36, C37, C37, C37, C37, C37, C37, C37, C37	inewark	2486347	[-
Corp. Cols. Cols				
COLD CALCAGE Color				
4 C7 C65 C69, C66 D6, C66 M, C67 M, T00 M, T50 M, T10 M, C67				
Call Call Call Call Call Call Call Cal			-	-
Col. Col. Col. Col. Col. Col. Col. Col.	Arrow	GRM188R71E474KA12D	-	-
6 CS,				
CSB				
7			-	-
Color				
2 C12 C30 C45, C47, C47, C47, C47, C47, C47, C47, C47			-	-
CAP	Farnell	1403828	-	-
9 C13, C31, C47, C47, C8RM, C14E, 25V, 4-10%, X7R, 0603 C10 C15, C17, C48, C8RM, C14E, 25V, 4-10%, X7R, 0603 C17, C17, C48, C8RM, C14E, 25V, 4-10%, X7R, 0603 C17, C17, C48, C8RM, C14E, 24R, C17, C48, C8RM, C17, C17,				
C48	Farnell	1403776	-	-
C15, C17, C48, C61, R.2, R.8, R.6, R.0, R21, R22, R32, R32, R32, R32, R32, R32, R32				
Col. R2, PA, R6, R9, R10, R21, R22, R23, R23, R23, R24, R39, R31, R45, R39, R31, R34, R39, R31, R34, R39, R31, R34, R39, R31, R34, R35, R34, R34, R34, R34, R34, R34, R34, R34	Farnell	1118180	-	-
R8, R10, R21, R22, R23, R34, R32, R31, R34, R32, R32, R34, R34, R34, R34, R34, R34, R34, R34	Mouser	667-ERJ-3GEY0R00V		
R33, R37, R38, R3, R34, R35, R36, R45, R47, R51, R39, R41, R45, R47, R51, R51, R51, R51, R51, R51, R51, R51				
R32, R33, R34, R39, R41, R45, R46, R47, R51, R62 C4P, CERM, 25P, +4-5%, COGNPQ, 603 TDK C15BCOG1E4721 TDK C16BCOG1E4721 TDK C16BCOG1E4721 TDK C16BCOG1E4721 TDK C16BCOG1E4721 TDK C16BCOG1E4721 TDK C16BCOG1E4721 TDC Digi-Key 445-2712-1-ND Digi-Key 445-2712-1-ND Digi-Key 445-2712-1-ND Digi-Key 445-2712-1-ND Digi-Key 445-2286-1-ND Digi-Key 558-104-1-ND Digi-Key 558-104				
R39, R41, R45, R46, R47, R51, R52				
R46, R47, R51, R52				
R52				
C18				
C32	Arrow	C1608C0G1E472J	-	-
15 D1, D2, D3, D5 Dodg, Schottky, 60V, 1A, SDD-123F Y NXP Semiconductor NA NXP Semiconductor NA NXP Semiconductor NA NXP Semiconductor NA NXP Semiconductor NXP September NXP Semiconductor NXP Semiconducto			-	-
FID1, FID2, FID3, FiD4, FID5, FID6 Machine Screw, Round, #4-40 x 1/4, Nylon, Philips panhead Y B&F Fastener Supply NY PMS 440 0025 PH 4 400	Arrow	C1608C0G1H221J	-	-
FID4, FID5, FID6			-	-
17				
18				
1. Sync In 2, Sync In 3, Sync In 4 19			-	-
1. Sync In 2, Sync In 3, Sync In 4 19				
19				
19				
20				
20			-	-
SMD SMD MOSFET, N-CH, 30V, 100A, SON 5x6mm Y Texas Instruments CSD18501QSA 8 800 Digi-Key Digi-Key SMS	Arrow	575-8	-	-
22 Q1, Q2, Q3, Q4, Q5, G6, Q7, Q8 MOSFET, N-CH, 30V, 100A, SON 5x6mm Y Texas Instruments CSD18501Q5A 8 800 Digi-Key 23 R1, R20, R31, R44 RES 0.003 OHM 3W 1% 3015 WIDE Y Susumu Co Ltd KRL7638-C-R003-F-T1 4 400 Digi-Key KRL76C.003CT-ND 24 R6 RES, 49.9k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603349K9rKEA 1 100 Digi-Key 541-3.3GCT-ND 26 R8 RES, 15.0k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06033R30JNEA 4 400 Digi-Key 541-3.3GCT-ND 27 R12, R24, R30, R54 RES, 15.0k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW060310k0FKEA 6 600 Digi-Key 541-10.0KHCT-ND 28 R15 RES, 121k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW060312kFKEA 1 100 Digi-Key 541-12KHCT-ND 30 R17 RES, 49.9k ohm, 1%, 0.1ZW, 0603 Y Vishay-Dale CRCW06031k0FKEA 1 100 Digi-Key 541-12KHCT-ND			-	-
Q5, Q6, Q7, Q8 R1, R20, R31, R44 RES 0.003 OHM 3W 1% 3015 WIDE Y Susumu Co Ltd KRL7638-C-R003-F-T1 4 400 Digi-Key KRL76C.003CT-ND 24 R6 RES, 49.9k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW060349K9FKEA 1 100 Digi-Key 541-49.9KHCT-ND 25 R7, R25, R36, R49 RES, 3.3 ohm, 5%, 0.1W, 0603 Y Vishay-Dale CRCW06033R30JNEA 4 400 Digi-Key 541-3.3GCT-ND 26 R8 RES, 15.0k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06031R0KFKEA 1 100 Digi-Key 541-3.3GCT-ND 27 R12, R24, R30, RES, 15.0k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW060310K0FKEA 6 600 Digi-Key 541-10.0KHCT-ND 28 R15 RES, 121k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06032K67FKEA 1 100 Digi-Key 541-12.67KHCT-ND 30 R17 RES, 49.9k ohm, 1%, 0.12W, 0603 Y Vishay-Dale CRCW06032K67FKEA 1 100 Digi-Key 541-				
R1, R20, R31, R44 RES 0.003 OHM 3W 1% 3015 WIDE Y			-	-
24 R6 RES, 49,9k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW060349K9FKEA 1 100 Digi-Key 541-49,9KHCT-ND 25 R7, R25, R36, R49 R8 R85, 3.3 ohm, 5%, 0.1W, 0603 Y Vishay-Dale CRCW06033R30JMEA 4 400 Digi-Key 541-49,9KHCT-ND 26 R8 RES, 15.6k ohm, 1%, 0.1W, 0603 Y Yageo America RC0603FR-0715KL 1 100 Digi-Key 311-15.0KHCT-ND 27 R12, R24, R30, R34, R54 RES, 10.0k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW060312KFKEA 6 600 Digi-Key 541-10.0KHCT-ND 28 R15 RES, 2.67k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW060312KFKEA 1 100 Digi-Key 541-21KHCT-ND 29 R16 RES, 2.67k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06032K67FKEA 1 100 Digi-Key 541-21KHCT-ND 31 R18 RES, 49.9k ohm, 1%, 0.12SW, 0805 Y Vishay-Dale CRCW06032K67FKEA 1 100 Digi-Key 541-2			_	_
25 R7, R25, R36, R49 RES, 3.3 ohm, 5%, 0.1W, 0603 Y Vishay-Dale CRCW06033R30JNEA 4 400 Digi-Key 541-3.3GCT-ND 26 R8 RES, 15.0k ohm, 1%, 0.1W, 0603 Y Yageo America RC0603FR-0715KL 1 100 Digi-Key 311-15.0KHRCT-ND 27 R12, R24, R30, R38, R43, R54 R15 RES, 10.0k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603121KFKEA 1 100 Digi-Key 541-10.0KHCT-ND 29 R16 RES, 121k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06032K67FKEA 1 100 Digi-Key 541-21KHCT-ND 30 R17 RES, 49.9k ohm, 1%, 0.1Z5W, 0805 Y Vishay-Dale CRCW06032K67FKEA 1 100 Digi-Key 541-2.67KHCT-ND 31 R18 RES, 604 ohm, 1%, 0.1Z5W, 0805 Y Vishay-Dale CRCW0805604RFKEA 1 100 Digi-Key 541-604CCT-ND 32 R26 RES, 0.0 km, 0.1W, 0603 Y Vishay-Dale CRCW06038R00748KL 1 100 Digi-Key 541-	Farnell	1152039	-	-
26 R8 RES, 15.0k ohm, 1%, 0.1W, 0603 Y Yageo America RC0603FR-0715KL 1 100 Digi-Key 311-15.0KHRCT-ND 27 R12, R24, R30, R38, R43, R64 RES, 10.0k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603121KFKEA 1 100 Digi-Key 541-10.0KHCT-ND 28 R15 RES, 121k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603121KFKEA 1 100 Digi-Key 541-121KHCT-ND 29 R16 RES, 2.67k ohm, 1%, 0.1V, 0603 Y Vishay-Dale CRCW06032K67FKEA 1 100 Digi-Key 541-267KHCT-ND 30 R17 RES, 4.99k ohm, 1%, 0.125W, 0805 Y Vishay-Dale CRCW060364FKEA 1 100 Digi-Key 541-94.9KCCT-ND 31 R18 RES, 604 ohm, 1%, 0.125W, 0805 Y Vishay-Dale CRCW0603604FKEA 1 100 Digi-Key 541-94.9KCCT-ND 32 R26 RES, 0.0hm, 0.0hm, 0.0hm, 0.0hm Y Vishay-Dale CRCW060300020EA 1 100 Digi-Key 541-0.0GCT-ND	Farnell	1514753	-	-
27 R12, R24, R30, R38, R43, R54 RES, 10.0k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW060310K0FKEA 6 600 Digi-Key 541-10.0KHCT-ND 28 R15 RES, 121k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603121KFKEA 1 100 Digi-Key 541-121KHCT-ND 29 R16 RES, 2.67k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06032K67FKEA 1 100 Digi-Key 541-2267KHCT-ND 30 R17 RES, 49.9k ohm, 1%, 0.125W, 0805 Y Panasonic ERJ-6ENF4992V 1 100 Digi-Key 541-604CCT-ND 31 R18 RES, 604 ohm, 1%, 0.125W, 0805 Y Vishay-Dale CRCW0805604RFKEA 1 100 Digi-Key 541-604CCT-ND 32 R26 RES, 0.604 ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW08050000020EA 1 100 Digi-Key 541-0.0GCT-ND 33 R35 RES, 18.0k ohm, 0.1W, 0603 Y Vishay-Dale CRCW06031K50FKEA 1 100 Digi-Key 541-8.66HHCT-ND			-	-
28 R15 RES, 121k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603121KFKEA 1 100 Digi-Key 541-121KHCT-ND 29 R16 RES, 2.67k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06032K67FKEA 1 100 Digi-Key 541-227KHCT-ND 30 R17 RES, 49.9k ohm, 1%, 0.125W, 0805 Y Panasonic ERJ-6ENF4992V 1 100 Digi-Key 541-267KHCT-ND 31 R18 RES, 604 ohm, 1%, 0.125W, 0805 Y Vishay-Dale CRCW08050A0FKEA 1 100 Digi-Key 541-604CCT-ND 32 R26 RES, 0.0hm, 5%, 0.1W, 0603 Y Vishay-Dale CRCW0603000Z0EA 1 100 Digi-Key 541-0.0GCT-ND 33 R35 RES, 18.0k ohm, 0.1%, 0.1W, 0603 Y Vishay-Dale CRCW0603BRD0718KL 1 100 Digi-Key 541-8.66HHCT-ND 34 R37 RES, 8.66 ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06031K50FKEA 1 100 Digi-Key 541-8.66HHCT-ND 36 R48, R50, R55, R56 RESISTOR 7.5 OHM 3/4W 5% 2010 Y Panasonic ERJ-12ZY	Farnell	1151638	-	-
29 R16 RES, 2.67k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06032K67FKEA 1 100 Digi-Key 541-2.67KHCT-ND 30 R17 RES, 49.9k ohm, 1%, 0.125W, 0805 Y Panasonic ERJ-6ENF4992V 1 100 Digi-Key P49.9KCCT-ND 31 R18 RES, 604 ohm, 1%, 0.125W, 0805 Y Vishay-Dale CRCW0805604RFKEA 1 100 Digi-Key 541-604CCT-ND 32 R26 R26 Ohm, 5%, 0.1W, 0603 Y Vishay-Dale CRCW0603000020EA 1 100 Digi-Key 541-0.0GCT-ND 34 R35 RES, 18.0k ohm, 0.1W, 0603 Y Yishay-Dale CRCW06038R05FKEA 1 100 Digi-Key 541-0.0GCT-ND 35 R40 RES, 1.50k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06038R66FKEA 1 100 Digi-Key 541-8.66HHCT-ND 36 R48, R50, R55, R56 RESISTOR 7.5 OHM 3/4W 5% 2010 Y Vishay-Dale CRCW06031K50FKEA 1 100 Digi-Key 541-1.50KHCT-ND 37 R56 R56 RES, 158k ohm, 1%, 0.1W, 0603 Y Vishay-D				
RES, 49.9k ohm, 1%, 0.125W, 0805 Y Panasonic ERJ-6ENF4992V 1 100 Digi-Key P49.9KCCT-ND	Farnell	1157209	-	-
31 R18 RES, 604 ohm, 1%, 0.125W, 0805 Y Vishay-Dale CRCW0805604RFKEA 1 100 Digi-Key 541-604CCT-ND 32 R26 RES, 0 ohm, 5%, 0.1W, 0603 Y Vishay-Dale CRCW06030000Z0EA 1 100 Digi-Key 541-0.0GCT-ND 33 R35 RES, 18.0k ohm, 0.1%, 0.1W, 0603 Y Vageo America RT0603BRD0718KL 1 100 Digi-Key 541-8.66HHCT-ND 34 R37 RES, 8.66 ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06031K50FKEA 1 100 Digi-Key 541-8.66HHCT-ND 35 R40 RES, 1.50k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06031K50FKEA 1 100 Digi-Key 541-1.50KHCT-ND 36 R48, R50, R55, R56 RES, 158k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603158KFKEA 1 100 Digi-Key 541-158KHCT-ND 37 R58 RES, 158k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603158KFKEA 1 100 Digi-Key 541-158KHCT-ND 38 SW1, SW2, SW3, SW4 Test Point, TH, Miniature, White Y Y	Farnell	1157282	-	-
32 R26 RES, 0 ohm, 5%, 0.1W, 0603 Y Vishay-Dale CRCW06030000Z0EA 1 100 Digi-Key 541-0.0GCT-ND 33 R35 RES, 18.0k ohm, 0.1%, 0.1W, 0603 Y Vishay-Dale CRCW0603BRD0718KL 1 100 Digi-Key 541-0.0GCT-ND 34 R37 RES, 8.66 ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06038R66FKEA 1 100 Digi-Key 541-8.66HHCT-ND 35 R40 RES, 1.50k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06031K50FKEA 1 100 Digi-Key 541-1.50KHCT-ND 36 R48, R50, R55, R56 RESISTOR 7.5 OHM 3/4W 5% 2010 Y Panasonic ERJ-12ZYJ7R5U 4 400 Digi-Key 541-1.50KHCT-ND 37 R58 RES, 158k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603158KFKEA 1 100 Digi-Key 541-1.58KHCT-ND 38 SW1, SW2, SW3, SW4 Test Point, TH, Miniature, White Y Y TI LM5122MH 4 400 Digi-Key 5002K-ND <td>Arrow</td> <td>ERJ-6ENF4992V</td> <td>-</td> <td>-</td>	Arrow	ERJ-6ENF4992V	-	-
33 R35 RES, 18.0k ohm, 0.1%, 0.1W, 0603 Y Yageo America RT0603BRD0718KL 1 100 Digi-Key 541-8.66HHCT-ND 34 R37 RES, 8.66 ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603BRD0718KL 1 100 Digi-Key 541-8.66HHCT-ND 35 R40 RES, 1.50k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06031K50FKEA 1 100 Digi-Key 541-1.50KHCT-ND 36 R48, R50, R55, R56 RESISTOR 7.5 OHM 3/4W 5% 2010 Y Vishay-Dale CRCW0603158KFKEA 1 100 Digi-Key 541-1.50KHCT-ND 37 R58 RES, 158k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603158KFKEA 1 100 Digi-Key 541-158KHCT-ND 38 SW1, SW2, SW3, SW4 Test Point, TH, Miniature, White Y Keystone 5002 4 400 Digi-Key 5002K-ND 39 U1, U3, U4, U7 Y TI LM5122MH 4 400 400 FRICK	Farnell Farnell	1653025 1288408	-	-
34 R37 RES, 8.66 ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06038R66FKEA 1 100 Digi-Key 541-8.66HHCT-ND 35 R40 RES, 1.50k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06031K50FKEA 1 100 Digi-Key 541-1.50KHCT-ND 36 R48, R50, R55, R56 RESISTOR 7.5 OHM 3/4W 5% 2010 Y Panasonic ERJ-12ZYJ7R5U 4 400 Digi-Key P7.5WCT-ND 37 R58 RES, 158k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603158KFKEA 1 100 Digi-Key 541-158KHCT-ND 38 SW1, SW2, SW3, SW4 Test Point, TH, Miniature, White Y Keystone 5002 4 400 Digi-Key 5002K-ND 39 U1, U3, U4, U7 Y TI LM5122MH 4 400 400 W	ramen	1200400		_
35 R40 RES, 1.50k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW06031K50FKEA 1 100 Digi-Key 541-1.50KHCT-ND 36 R48, R50, R55, R56 RESISTOR 7.5 OHM 3/4W 5% 2010 Y Panasonic ERJ-12ZYJ7R5U 4 400 Digi-Key P7.5WCT-ND 37 R58 RES, 158k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603158KFKEA 1 100 Digi-Key 541-158KHCT-ND 38 SW1, SW2, SW3, SW4 Test Point, TH, Miniature, White Y Y TI LM5122MH 4 400 Digi-Key 5002K-ND	Arrow	CRCW06038R66FKEA		-
36 R48, R50, R55, R56 RESISTOR 7.5 OHM 3/4W 5% 2010 Y Panasonic ERJ-12ZYJ7R5U 4 400 DigiKey P7.5WCT-ND 37 R58 RES, 158k ohm, 1%, 0.1W, 0603 Y Vishay-Dale CRCW0603158KFKEA 1 100 Digi-Key 541-158KHCT-ND 38 SW1, SW2, SW3, SW4 Test Point, TH, Miniature, White Y Keystone 5002 4 400 Digi-Key 5002K-ND 39 U1, U3, U4, U7 TI LM5122MH 4 400 400 W	Farnell	1151613	-	-
R56 37 R58 RES, 158k ohm, 1%, 0.1W, 0603 38 SW1, SW2, SW3, SW4 39 U1, U3, U4, U7 R56 Y Vishay-Dale CRCW0603158KFKEA 1 100 Digi-Key 541-158KHCT-ND 5002 4 400 Digi-Key 5002K-ND 5002K-ND 7 TI LM5122MH 4 400		1,2,3,3	-	-
38 SW1, SW2, SW3, SW4 39 U1, U3, U4, U7 Test Point, TH, Miniature, White Y Keystone Y TI LM5122MH 4 400 Digi-Key 5002K-ND 4 400 Digi-Key				
SW4 Y TI LM5122MH 4 400	Farnell	1157238	-	-
39 U1, U3, U4, U7 TI LM5122MH 4 400	Newark	82H9632	-	-
10 LIE 10 000 MONO TIMINO ONUTA 0 0010			-	-
40 U5 IC OSC MONO TIMING 3MHZ 8-SOIC N TI LMC555CMX 1 100				
41 U6 IC 10-OUT DECADE COUNTER 16-SOIC Y CD4017BM96 1 100 Digi-Key 296-25940-1-ND 42 U8 Series of Adjustable Micropower Voltage Regulators, 8-pin LLP N TI LP2951CSD 1 100 Farnell 1008042				
To location of Augustable Micropower Voltage Negulators, 6-pin ELF				

43	Vin Gnd, Vout Gnd	Test Point, TH, Miniature, Black	Y	Keystone	5001	2	200	Digi-Key	5001K-ND			-	-
44	Vin, Vout	Test Point, TH, Miniature, Red	Υ	Keystone	5000	2	200	Digi-Key	5000K-ND			-	-
45	R11, R29, R42,	RES, 20.0k ohm, 1%, 0.1W, 0603	Υ	Vishay-Dale	CRCW060320K0FKEA	0	0	Digi-Key	541-20.0KHCT-ND	Farnell	1157286	-	-
	R53												
46	R57	RES, 100k ohm, 1%, 0.1W, 0603	Υ	Vishay-Dale	CRCW0603100KFKEA	0	0	Digi-Key	541-100KHCT-ND	Farnell	1344361	-	-

IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, enhancements, improvements and other changes to its semiconductor products and services per JESD46, latest issue, and to discontinue any product or service per JESD48, latest issue. Buyers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All semiconductor products (also referred to herein as "components") are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its components to the specifications applicable at the time of sale, in accordance with the warranty in TI's terms and conditions of sale of semiconductor products. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by applicable law, testing of all parameters of each component is not necessarily performed.

TI assumes no liability for applications assistance or the design of Buyers' products. Buyers are responsible for their products and applications using TI components. To minimize the risks associated with Buyers' products and applications, Buyers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI components or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of significant portions of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI components or services with statements different from or beyond the parameters stated by TI for that component or service voids all express and any implied warranties for the associated TI component or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

Buyer acknowledges and agrees that it is solely responsible for compliance with all legal, regulatory and safety-related requirements concerning its products, and any use of TI components in its applications, notwithstanding any applications-related information or support that may be provided by TI. Buyer represents and agrees that it has all the necessary expertise to create and implement safeguards which anticipate dangerous consequences of failures, monitor failures and their consequences, lessen the likelihood of failures that might cause harm and take appropriate remedial actions. Buyer will fully indemnify TI and its representatives against any damages arising out of the use of any TI components in safety-critical applications.

In some cases, TI components may be promoted specifically to facilitate safety-related applications. With such components, TI's goal is to help enable customers to design and create their own end-product solutions that meet applicable functional safety standards and requirements. Nonetheless, such components are subject to these terms.

No TI components are authorized for use in FDA Class III (or similar life-critical medical equipment) unless authorized officers of the parties have executed a special agreement specifically governing such use.

Only those TI components which TI has specifically designated as military grade or "enhanced plastic" are designed and intended for use in military/aerospace applications or environments. Buyer acknowledges and agrees that any military or aerospace use of TI components which have *not* been so designated is solely at the Buyer's risk, and that Buyer is solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI has specifically designated certain components as meeting ISO/TS16949 requirements, mainly for automotive use. In any case of use of non-designated products, TI will not be responsible for any failure to meet ISO/TS16949.

Products Applications

Audio www.ti.com/audio Automotive and Transportation www.ti.com/automotive Communications and Telecom Amplifiers amplifier.ti.com www.ti.com/communications **Data Converters** dataconverter.ti.com Computers and Peripherals www.ti.com/computers **DLP® Products** www.dlp.com Consumer Electronics www.ti.com/consumer-apps

DSP **Energy and Lighting** dsp.ti.com www.ti.com/energy Clocks and Timers www.ti.com/clocks Industrial www.ti.com/industrial Interface interface.ti.com Medical www.ti.com/medical logic.ti.com Logic Security www.ti.com/security

Power Mgmt power.ti.com Space, Avionics and Defense www.ti.com/space-avionics-defense

Microcontrollers <u>microcontroller.ti.com</u> Video and Imaging <u>www.ti.com/video</u>

RFID <u>www.ti-rfid.com</u>

OMAP Applications Processors www.ti.com/omap TI E2E Community e2e.ti.com/omap

Wireless Connectivity <u>www.ti.com/wirelessconnectivity</u>