

SUPPLIER'S DECLARATION OF CONFORMITY

The device submitted for testing at SHENZHEN ACCURATE TECHNOLOGY CO., LTD. was found to be compliant with Part 15 of the FCC Rules and Regulations for RADIO FREQUENCY DEVICES.

Supplier Information

Model: BBONE-AI64
Trade Mark: Seed Studio
Responsible Party:
Address:
Contact Person:
Telephone:

EUT Information Summary

Equipment Class: FCC Part 15 Subpart B Class B
Product Type: BeagleBone AI-64
Report Number: SZNS1211231-68362E-EM
Issuance Date: 2022-01-14
Tested by: SHENZHEN ACCURATE TECHNOLOGY CO., LTD.
1/F., Building A, Changyuan New Material Port, Science & Industry
Park, Nanshan District, Shenzhen, Guangdong, P.R. China
Phone: +86-755-26503290 Fax: +86-755-26503396
www.atc-lab.com

XXXXXX

being the responsible party, declares that the
product

BeagleBone AI-64

was tested to demonstrate compliance with all applicable FCC Rules and regulations. Operation is subject to the following two conditions: This device may not cause harmful interference, and this device must accept any interference received, including interference that may cause undesired operation. The methods of testing were in accordance with the most current and accurate measurement standards possible. All necessary steps have been taken in order to assure that all production units will continue to comply with the Federal Communications Commission's requirements.

Signature

Date

Name

Title

This document issued by SHENZHEN ACCURATE TECHNOLOGY CO., LTD., is subject to its general conditions of service printed on the quotation, purchase order acknowledgement, or on the Product Certification Agreement and is available on request. We hereby notify you that those aforementioned documents contain details on the limitations of the liability, indemnification and jurisdiction issues defined therein. Anyone possessing this document is advised that information contained herein reflects the Company's results or findings at the conclusion of testing or services rendered only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of a duly authorized representative of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The results, opinions or attestations shown in this document refer only to the sample(s) test and such sample(s)

ATTESTATION OF CONFORMITY

Attestation Number: SZNS1211231-68361E-EM

Date of Issue: 01/14/2022

Applicant:

Company name: **Seeed Technology Co., Ltd**

Address: **9F, G3 Building, TCL International E City, Zhongshanyuan Road, Nanshan District, Shenzhen, Guangdong Province, P.R.C**

Product:

Name: **BeagleBone AI-64**

Model(s): **BBONE-AI64**

Manufacturer & Address: **Seeed Technology Co., Ltd**

9F, G3 Building, TCL International E City, Zhongshanyuan Road, Nanshan District, Shenzhen, Guangdong Province, P.R.C

Trade Mark: Seeed Studio

SHENZHEN ACCURATE TECHNOLOGY CO., LTD. hereby declares that the submitted sample(s) of the above equipment has been tested for CE regulations and in accordance with the European Directives and Standards:

EMC Directive 2014/30/EU

Essential Requirements		Harmonized Standards	Test Report Number
EMCD Clause 1(a), (b)	Emission, Immunity	EN 55032: 2015/A11:2020 EN 55035: 2017/A11:2020 EN IEC 61000-3-2:2019 EN 61000-3-3:2013+A1:2019	SZNS1211231-68361E-EM



Mark is permitted only after all applicable requirements are met in accordance with the CE regulation requirements, including the manufacturer's issuance of a "Declaration of Conformity. The Declaration of Conformity is issued under the sole responsibility of the manufacturer. This attestation is specific to the standard(s) stated above and compliance with additional standards and/or CE regulations are applicable.

Attestation by:

Manager: Robert Li

Signature:



TEST REPORT

Applicant : Seeed Technology Co., Ltd.

Product Name : BeagleBone AI-64

Model Name : BBONE-AI64

Brand Name : N/A

Test Request : As specified by client, to screen 224 substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) regarding Regulation (EC) No 1907/2006 concerning the REACH in the submitted sample(s).

Receipt Date : 2022-07-29

Test Date : 2022-07-30 to 2022-08-18

Issue Date : 2022-08-30

Summary:

According to the ruling of the court of Justice of the European Union on the definition an article under REACH, and the specified scope and evaluation screening, the test results of SVHC are $>0.1\%$ (w/w) in the submitted sample. See E003(E-99). Warning (see Remark)

Edited by : Deng Baijian
Deng Baijian (Rapporteur)

Approved by : Kenny Li
Kenny Li (Supervisor)

NOTE: This document is issued by Shenzhen Morlab Communications Technology Co., Ltd., the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.





DIRECTORY

1. Applicant Information 5

2. Component Description 5

3. Test Results 11

4. Annex Full List Tested SVHC 12

5. Photo of Sample 21

Annex A General Information 29

Change History		
Version	Date	Reason for Change
1.0	2022-08-30	First edition

Remark:

- (1) The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA:
<https://echa.europa.eu/it/candidate-list-table>
These lists are under evaluation by ECHA and may subject to change in the future.
- (2) Concerning article(s):
In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w)
Article 33 of Regulation (EC) No 1907/2006 requires supplier of article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance.
- (3) Concerning material(s):
Test results in the report are based on the tested sample. This report to testing result of tested sample submitted as homogenous materials. In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.
If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.
- (4) Concerning substance and preparation:
If a SVHC is found over 0.1%(w/w) and/or the specific concentration limit which is set in Regulation (EC) No. 1272/2008 and its amendments, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No. 1907/2006.
- (5) If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.



- (6) The limit of 0.1%(w/w) applies to an article. The results were calculated assuming as the submitted sample was an article.
However, the results may not be applicable if the intended use of the sample is a substance or mixture. According to REACH, definition of an article, substance and mixture are:
- i. Article - An object during production is given a special shape, surface or design which determines its function to a greater degree than does its chemical composition
 - ii. Substance - A chemical element and its compound in the natural state or obtained by any manufacturing process
 - iii. Mixture (Previously known as "Preparation") - A mixture or solution composed of two or more substances
- (7) When the test result is a critical value, we will use the measurement uncertainty give the judgment result based on the 95% Confidence intervals .



1. Applicant Information

Applicant : Seeed Technology Co., Ltd.
Applicant Address : 9F, G3 Building, TCL International E City, Zhongshanyuan Road,
Nanshan District, Shenzhen, Guangdong Province, P.R.C
Manufacturer : Seeed Technology Co., Ltd.
Manufacturer Address : 9F, G3 Building, TCL International E City, Zhongshanyuan Road,
Nanshan District, Shenzhen, Guangdong Province, P.R.C

2. Component Description

Part No.	Specimen No.	Sample Description	Group table
1	E001	Non-metal Group	-
2	E002	Metal Group	-
3	E003	Electronic Components	-



Specimen No.	Sample No.	Sample Description
E001	E-3	Yellow Silicone Grease
	E-5	White Plastic Label With Black Printing
	E-6	Yellow Adhesive Sticker
	E-9	White Plastic
	E-10	White Plastic
	E-11	Grey Plastic
	E-14	Grey Plastic
	E-18	White Plastic
	E-21	Black Plastic
	E-24	Grey Plastic
	E-25	Silvery Plastic Label With Black Lettering
	E-27	Black Plastic
	E-30	Black Plastic
	E-33	White Plastic
	E-36	Grey Plastic
	E-38	Black Plastic
	E-45	Black Plastic Wire Jacket
	E-51	Grey Ceramic
	E-52	Black Glue
	E-57	Green PCB
	E-59	Blue Plastic
	E-62	Black Plastic
	E-63	Grey Plastic
E-67	Grey Plastic	
E-69	Grey Silicone	
E-106	White PCB	



Specimen No.	Sample No.	Sample Description
E002	E-1	Black Metal Screw
	E-2	Black Metal Screw
	E-4	Black Metal
	E-7	Silvery Metal
	E-8	Silvery Metal Pin
	E-12	Silvery Metal Pin
	E-13	Silvery Metal
	E-15	Golden Metal
	E-16	Silvery Metal
	E-17	Silvery Metal
	E-19	Silvery Metal Pin
	E-20	Golden Metal Pin
	E-22	Silvery Metal Pin
	E-23	Silvery Metal
	E-26	Silvery Metal
	E-28	Silvery Metal Rod
	E-29	Silvery Metal
	E-31	Silvery Metal
	E-32	Silvery Metal Shrapnel
	E-34	Silvery Metal
	E-35	Golden Metal Pin
	E-37	Silvery Metal Spring
	E-39	Silvery Metal Shell
E-40	Silvery Solder	
E-42	Silvery Metal Pin	
E-44	Silvery Metal Pin	



Specimen No.	Sample No.	Sample Description
E002	E-46	Brown Metal Wire
	E-47	Red Metal Coil
	E-48	Blue Metal Coil
	E-49	Green Metal Coil
	E-50	Golden Metal Coil
	E-55	Silvery Metal
	E-56	Silvery Metal Pin With Golden Plating
	E-58	Silvery Solder
	E-60	Silvery Metal Pin
	E-61	Silvery Metal Shell
	E-64	Golden Metal Pin
	E-65	Silvery Metal
	E-66	Silvery Metal
	E-68	Golden Metal Pin
	E-70	Silvery Metal Cover
	E-107	Silvery Solder
E003	E-41	Yellow LED
	E-43	Green LED
	E-53	Brown Chip Capacitor
	E-54	Black Chip Resistor
	E-71	Silvery IC
	E-72	Black IC
	E-73	Black IC
	E-74	Black IC
	E-75	Black IC
	E-76	Black IC



Specimen No.	Sample No.	Sample Description
E003	E-77	Black IC
	E-78	Black IC
	E-79	Black IC
	E-80	Black IC
	E-81	Black IC
	E-82	Black IC
	E-83	Black IC
	E-84	Black IC
	E-85	Black IC
	E-86	Silvery Crystal Oscillator
	E-87	Brown Chip Capacitor
	E-88	Black Chip Resistor
	E-89	Brown Chip Capacitor
	E-90	Brown Chip Capacitor
	E-91	Black Chip Resistor
	E-92	Gray Inductance
	E-93	Black Diode
	E-94	Black Triode
	E-95	Black IC
	E-96	Black Triode
	E-97	Grey Chip Inductance
	E-98	Silvery Crystal Oscillator
	E-99	Brown Crystal Oscillator
	E-100	Black Diode
	E-101	Black Triode
	E-102	Gray Inductance



REPORT No. : SZ22070346R03

Specimen No.	Sample No.	Sample Description
E003	E-103	Yellow Inductance
	E-104	White LED
	E-105	Black Resistor



3. Test Result:

Test Result: (Substances in the Candidate List of SVHC)

Batch	Substance Name	CAS No.	Concentration (%)		RL (%)
			E003(E-99)		
XIX	Lead	7439-92-1	4.50		0.005
-	Other tested SVHC in Candidate List	-	N.D.		-

Batch	Substance Name	CAS No.	Concentration (%)			RL (%)
			E001	E002	E003 except (E-99)	
-	All tested SVHC in Candidate List	-	N.D.	N.D.	N.D.	-

Remark:

- (1) RL=Report Limit. All RL are based on homogenous material and these limits are based on laboratory testing technology. When the testing result exceed RL, the report will show specific result. ND= Not detected (lower than RL), ND is denoted on the SVHC substance.
- (2) Δ CAS No. of diastereoisomers identified (α -HBCDD, β - HBCDD, γ -HBCDD): 134237-50-6, 134237-51-7, 134237-52-8
- (3) *The test result is based on the calculation of selected element(s)/ marker(s) and the worst-case scenario.
- (4) §The substance is proposed for the identification as SVHC only where it contains Michler's ketone (CAS Number:90-94-8) or Michler's base (CAS Number: 101-61-1) \geq 0.1%(w/w).



4. Annex Full list tested SVHC

No.	Substance Name	CAS No.	RL (%)
1	4,4'-Diaminodiphenylmethane	101-77-9	0.050
2	5-tert-butyl-2,4,6-trinitro-m-xylene	81-15-2	0.050
3	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	0.050
4	Anthracene	120-12-7	0.050
5	Diarsenic pentaoxide*	1303-28-2	0.005
6	Diarsenic trioxide*	1327-53-3	0.005
7	Bis(2-ethylhexyl)phthalate (DEHP)	117-81-7	0.050
8	Bis(tributyltin)oxide (TBTO)	56-35-9	0.050
9	Benzyl butyl phthalate (BBP)	85-68-7	0.050
10	Cobalt dichloride*	7646-79-9	0.005
11	Dibutyl phthalate (DBP)	84-74-2	0.050
12	Hexabromocyclododecane(HBCDD) and all major diastereoisomers identified (α -HBCDD, β -HBCDD, γ -HBCDD) ^Δ	25637-99-4; 3194-55-6	0.050
13	Lead hydrogen arsenate*	7784-40-9	0.005
14	Sodium dichromate*	7789-12-0 10588-01-9	0.005
15	Triethyl arsenate*	15606-95-8	0.005
16	Anthracene oil	90640-80-5	0.050
17	Anthracene oil, anthracene paste, distn. Lights	91995-17-4	0.050
18	Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	0.050
19	Anthracene oil, anthracene-low	90640-82-7	0.050
20	Anthracene oil, anthracene paste	90640-81-6	0.050
21	Pitch, coal tar, high temp	65996-93-2	0.050
22	Tris(2-chloroethyl)phosphate (TCEP)	115-96-8	0.050
23	2,4-Dinitrotoluene (2,4-DNT)	121-14-2	0.050
24	Diisobutyl phthalate (DIBP)	84-69-5	0.050
25	Lead chromate molybdate sulfate red * (C.I. Pigment Red 104)	12656-85-8	0.005
26	Lead sulfochromate yellow* (C.I. Pigment Yellow 34)	1344-37-2	0.005
27	Lead chromate*	7758-97-6	0.005



No.	Substance Name	CAS No.	RL (%)
28	Acrylamide	79-06-1	0.050
29	Trichloroethylene	79-01-6	0.050
30	Boric acid*	10043-35-3 11113-50-1	0.005
31	Disodium tetraborate, anhydrous*	1303-96-4 1330-43-4 12179-04-3	0.005
32	Tetraboron disodium heptaoxide,hydrate*	12267-73-1	0.005
33	Sodium chromate*	7775-11-3	0.005
34	Potassium chromate*	7789-00-6	0.005
35	Ammonium dichromate*	7789-09-5	0.005
36	Potassium dichromate*	7778-50-9	0.005
37	Cobalt(II) sulphate*	10124-43-3	0.005
38	Cobalt(II) dinitrate*	10141-05-6	0.005
39	Cobalt (II) carbonate*	513-79-1	0.005
40	Cobalt(II) diacetate*	71-48-7	0.005
41	2-Methoxyethanol	109-86-4	0.050
42	2-Ethoxyethanol	110-80-5	0.050
43	Chromium trioxide*	1333-82-0	0.005
44	Acids generated from chromium trioxide and their oligomers Group containing: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid*	7738-94-5 13530-68-2	0.005
45	2-ethoxyethyl acetate	111-15-9	0.050
46	Strontium chromate*	7789-6-2	0.005
47	1,2-Benzenedicarboxylic acid,di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	0.050
48	Hydrazine	302-01-2 7803-57-8	0.050
49	1-methyl-2-pyrrolidone	872-50-4	0.050
50	1,2,3-trichloropropane	96-18-4	0.050
51	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters,C7-rich (DIHP)	71888-89-6	0.050
52	Dichromium tris(chromate)*	24613-89-6	0.005
53	Potassium hydroxyoctaoxodizincatedi-chromate*	11103-86-9	0.005
54	Pentazinc chromate octahydroxide*	49663-84-5	0.005



No.	Substance Name	CAS No.	RL (%)
55	Aluminosilicate Refractory Ceramic Fibres*	-	0.005
56	Zirconia Aluminosilicate Refractory Ceramic Fibres*	-	0.005
57	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4	0.050
58	Bis(2-methoxyethyl) phthalate	117-82-8	0.050
59	2-Methoxyaniline;o-Anisidine	90-04-0	0.050
60	4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol)	140-66-9	0.050
61	1,2-Dichloroethane	107-06-2	0.050
62	Bis(2-methoxyethyl) ether	111-96-6	0.050
63	Arsenic acid*	7778-39-4	0.005
64	Calcium arsenate*	7778-44-1	0.005
65	Trilead diarsenate*	3687-31-8	0.005
66	N,N-dimethylacetamide (DMAC)	127-19-5	0.050
67	3,3'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	0.050
68	Phenolphthalein	77-09-8	0.050
69	Lead azide Lead diazide*	13424-46-9	0.005
70	Lead styphnate*	15245-44-0	0.005
71	Lead dipicrate*	6477-64-1	0.005
72	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	0.050
73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	0.050
74	Diboron trioxide*	1303-86-2	0.005
75	Formamide	75-12-7	0.050
76	Lead(II) bis(methanesulfonate)*	17570-76-2	0.005
77	1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione (TGIC)	2451-62-9	0.050
78	1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β -TGIC)	59653-74-6	0.050
79	4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	90-94-8	0.050
80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	0.050
81	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I.Basic Blue 26) [§]	2580-56-5	0.050



No.	Substance Name	CAS No.	RL (%)
82	[4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammoniumchloride (C.I. Basic Violet 3) [§]	548-62-9	0.050
83	4,4'-bis(dimethylamino)-4''-(methylamino) trityl alcohol [§]	561-41-1	0.050
84	α,α -Bis[4-(dimethylamino)phenyl]-4 (phenylamino) naphthalene-1-methanol (C.I. Solvent Blue 4) [§]	6786-83-0	0.050
85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; Deca-BDE)	1163-19-5	0.050
86	Pentacosafuorotridecanoic acid	72629-94-8	0.050
87	Tricosafuorododecanoic acid	307-55-1	0.050
88	Henicosafuoroundecanoic acid	2058-94-8	0.050
89	Heptacosafuorotetradecanoic acid	376-06-7	0.050
90	Diazene-1,2-dicarboxamide(C,C'-azodi(formamide))	123-77-3	0.050
91	Cyclohexane-1,2-dicarboxylic anhydride	14166-21-3	0.050
92	Hexahydromethylphthalic anhydride Hexahydro-4-methylphthalic anhydride Hexahydro-1-methylphthalic anhydride Hexahydro-3-methylphthalic anhydride	25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9	0.050
93	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	0.050
94	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	-	0.050
95	Methoxyacetic acid	625-45-6	0.050
96	N,N-dimethylformamide	68-12-2	0.050
97	Dibutyltin dichloride (DBT)	683-18-1	0.050
98	Lead monoxide (Lead oxide)*	1317-36-8	0.005
99	Orange lead (Lead tetroxide)*	1314-41-6	0.005
100	Lead bis(tetrafluoroborate)*	13814-96-5	0.005
101	Trilead bis(carbonate)dihydroxide*	1319-46-6	0.005
102	Lead titanium trioxide*	12060-00-3	0.005



No.	Substance Name	CAS No.	RL (%)
103	Lead titanium zirconium oxide*	12626-81-2	0.005
104	Silicic acid, lead salt*	11120-22-2	0.005
105	Silicic acid , barium salt , lead-doped*	68784-75-8	0.005
106	1-bromopropane (n-propyl bromide)	106-94-5	0.050
107	Methyloxirane (Propylene oxide)	75-56-9	0.050
108	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	0.050
109	Diisopentylphthalate (DIPP)	605-50-5	0.050
110	N-pentyl-isopentylphthalate	776297-69-9	0.050
111	1,2-diethoxyethane	629-14-1	0.050
112	Acetic acid, lead salt, basic*	51404-69-4	0.005
113	Lead oxide sulfate*	12036-76-9	0.005
114	[Phthalato(2-)]dioxotrilead*	69011-06-9	0.005
115	Dioxobis(stearato)trilead*	12578-12-0	0.005
116	Fatty acids, C16-18, lead salts*	91031-62-8	0.005
117	Lead cyanamide*	20837-86-9	0.005
118	Lead dinitrate*	10099-74-8	0.005
119	Pentalead tetraoxide sulphate*	12065-90-6	0.005
120	Pyrochlore, antimony lead yellow*	8012-00-8	0.005
121	Sulfurous acid, lead salt, dibasic*	62229-08-7	0.005
122	Tetraethyllead*	78-00-2	0.005
123	Tetralead trioxide sulphate*	12202-17-4	0.005
124	Trilead dioxide phosphonate*	12141-20-7	0.005
125	Furan	110-00-9	0.050
126	Diethyl sulphate	64-67-5	0.050
127	Dimethyl sulphate	77-78-1	0.050
128	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	0.050
129	Dinoseb	88-85-7	0.050
130	4,4'-methylenedi-o-toluidine	838-88-0	0.050
131	4,4'-oxydianiline and its salts	101-80-4	0.050
132	4-aminoazobenzene	60-09-3	0.050
133	4-methyl- <i>m</i> -phenylenediamine	95-80-7	0.050



No.	Substance Name	CAS No.	RL (%)
134	6-methoxy- <i>m</i> -toluidine	120-71-8	0.050
135	Biphenyl-4-ylamine	92-67-1	0.050
136	<i>o</i> -aminoazotoluene	97-56-3	0.050
137	<i>o</i> -toluidine	95-53-4	0.050
138	N-methylacetamide	79-16-3	0.050
139	Cadmium*	7440-43-9	0.005
140	Cadmium oxide*	1306-19-0	0.005
141	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	0.050
142	Pentadecafluorooctanoic acid(PFOA)	335-67-1	0.050
143	Dipentyl phthalate (DPP)	131-18-0	0.050
144	4-Nonylphenol, branched and linear, ethoxylated	-	0.050
145	Cadmium sulphide*	1306-23-6	0.005
146	Dihexyl phthalate	84-75-3	0.050
147	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis (4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	0.050
148	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo] [1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. DirectBlack 38)	1937-37-7	0.050
149	Imidazolidine-2-thione	96-45-7	0.050
150	Lead di(acetate)*	301-04-2	0.005
151	Trixylyl phosphate	25155-23-1	0.050
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	0.050
153	Cadmium chloride*	10108-64-2	0.005
154	Sodium perborate; perboric acid, sodium salt*	-	0.005
155	Sodium peroxometaborate*	7632-04-4	0.005
156	Cadmium fluoride*	7790-79-6	0.005
157	Cadmium sulphate*	10124-36-4	0.005
158	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	0.050
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	0.050
160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	0.050
161	reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	-	0.050



No.	Substance Name	CAS No.	RL (%)
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with $\geq 0.3\%$ of dihexyl phthalate (EC No. 201-559-5)	68515-51-5/ 68648-93-1	0.050
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1 ,3-dioxane [1],5-sec-butyl-2- (4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	-	0.050
164	1,3-propanesultone	1120-71-4	0.050
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	0.050
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	0.050
167	Nitrobenzene	98-95-3	0.050
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	0.050
169	Benzo[def]chrysene	50-32-8	0.050
170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	0.050
171	nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	3108-42-7 335-76-2 3830-45-3	0.050
172	4-heptylphenol, branched and linear (4-HPbl)	-	0.050
173	4-tert-pentylphenol (PTAP)	80-46-6	0.050
174	Perfluorohexane-1-sulphonic acid and its salts PFHxS	-	0.050
175	Dechlorane Plus(TM) and reaction products of 1,3,4- thiadiazolidine-2,5-dithione	-	0.050
176	benz[a]anthracene	56-55-3	0.050
177	cadmium nitrate*	10325-94-7	0.005
178	cadmium carbonate*	513-78-0	0.005
179	cadmium hydroxide*	21041-95-2	0.005
180	chrysene	218-01-9	0.050
181	formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with $\geq 0.1\%$ w/w 4-heptylphenol, branched and linear]	-	0.050
182	Terphenyl, hydrogenated	61788-32-7	0.050
183	Octamethylcyclotetrasiloxane D4	556-67-2	0.050
184	Lead*	7439-92-1	0.005
185	Ethylenediamine EDA	107-15-3	0.050





No.	Substance Name	CAS No.	RL (%)
186	Dodecamethylcyclhexasiloxane D6	540-97-6	0.050
187	Disodium octaborate*	12008-41-2	0.005
188	Dicyclohexyl phthalate DCHP	84-61-7	0.050
189	Decamethylcyclopentasiloxane D5	541-02-6	0.050
190	Benzo[ghi]perylene	191-24-2	0.050
191	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride trimellitic anhydride; TMA	552-30-7	0.050
192	2,2-bis(4'-hydroxyphenyl)- 4-methylpentane	6807-17-6	0.005
193	Benzo[k]fluoranthene	207-08-9	0.005
194	Fluoranthene	206-44-0	0.050
195	Phenanthrene	85-01-8	0.050
196	Pyrene	129-00-0	0.050
197	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one	15087-24-8	0.050
198	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP)	-	0.050
199	4-tert-butylphenol	98-54-4	0.050
200	2-methoxyethyl acetate	110-49-6	0.050
201	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides	-	0.050
202	Perfluorobutane sulfonic acid (PFBS) and its salts	-	0.050
203	Diisohexyl phthalate	71850-09-4	0.050
204	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	0.050
205	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	0.050
206	1-vinylimidazole	1072-63-5	0.050
207	2-methylimidazole	693-98-1	0.050
208	Butyl 4-hydroxybenzoate	94-26-8	0.050
209	Dibutylbis(pentane-2,4-dionato-O,O')tin	22673-19-4	0.050
210	Bis(2-(2-methoxyethoxy)ethyl)ether	143-24-8	0.050
211	Diocetyl tin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	-	0.050
212	1,4-dioxane	123-91-1	0.050
213	2,2-bis(bromomethyl)propane 1,3-diol (BMP) 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA) 2,3-dibromo-1-propanol (2,3-DBPA)	3296-90-0 36483-57-5 1522-92-5 96-13-9	0.050



No.	Substance Name	CAS No.	RL (%)
214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	-	0.050
215	4,4'-(1-methylpropylidene) bisphenol (bisphenol B)	77-40-7	0.050
216	Glutaral	111-30-8	0.050
217	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-	0.050
218	Orthoboric acid, sodium salt*	13840-56-7	0.005
219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	-	0.050
220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo [2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	-	0.050
221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	0.050
222	S-(tricyclo[5.2.1.0 ^{2,6}]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	0.050
223	tris(2-methoxyethoxy)vinylsilane	1067-53-4	0.050
224	N-(hydroxymethyl)acrylamide	924-42-5	0.050

5. Photo of Sample






















Annex A General Information

1.1 Identification of the Responsible Testing Laboratory

Laboratory Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Laboratory Address:	FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road, Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

1.2 Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road, Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

***** END OF REPORT *****

ROHS Compliance Declaration

Seeed Technology Co., Ltd assure that the below list of products complies with the European Union Directives 2011/65/EU (RoHS 2) and 2015/863 (RoHS 3) on Restrictions of Hazardous Substances, based on materials collected from suppliers and controlled production methods. In signing this agreement, Seeed assumes all liability should the supplied products be found to violate the agreed specification.

Guideline	Limited substance
Directive 2011/65/EU (RoHS 6)	Pb, Hg, Cd, Cr(VI), PBB, PBDE
Delegated directive (EU) 2015/863 (RoHS 10)	Pb, Hg, Cd, Cr(VI), PBB, PBDE, DEHP, BBP, DBP, DIBP

Control Item & Value:

NO	Restricted Substances	EU Control Value (PPM)	Remark
1	Pb	≤1000	Pass
2	Hg	≤1000	Pass
3	Cd	≤100	Pass
4	Cr VI	≤1000	Pass
5	PBB	≤1000	Pass
6	PBDE	≤1000	Pass
7	DEHP	≤1000	Pass
8	BBP	≤1000	Pass
9	DBP	≤1000	Pass
10	DIBP	≤1000	Pass

List of Product to be declared:

P/N	Product Name	P/N	Product Name
102110646	BeagleBone AI-64		

Date: 2022-10-12

Company Name: Seeed Technology Co., Ltd

Company Address: 9F, Building G3, TCL International E city, Zhongshanyuan Road, Nanshan, Shenzhen, China. 518055



IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATA SHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, regulatory or other requirements.

These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to [TI's Terms of Sale](#) or other applicable terms available either on [ti.com](https://www.ti.com) or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

TI objects to and rejects any additional or different terms you may have proposed.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2023, Texas Instruments Incorporated