Technical Article **Designing for Tomorrow, Today: How Advanced Light Control Changes the Game across Industries**



Mariquita Gordon

Today, the range of applications and markets where advanced light control technology helps solve complex engineering problems is incredibly broad.

This wasn't always the case.

Back in the late 1980s, the digital micromirror device (DMD) technology we invented was still in its infancy. Ideas like 4K digital movie projection or 3D industrial printing using DLP chips were equipment yet to be invented.

Over the years, that certainly has changed. We put our technology into the hands of key business partners, as well as students, engineers and product developers – and they ran with it. Suddenly, people were constantly asking us what else could be done with DLP technology. To this day, we receive a steady stream of amazing questions from curious problem solvers around the world who are looking to DLP technology for answers.

I'm proud to say we've answered many of their questions with our family of DLP products, which have been continually tuned and expanded to accommodate a variety of uses no one could have envisioned back when it was invented in 1987.

Here is just a small sampling of the applications customers are solving with DLP technology today:

- In the manufacturing world, the fast speed inherent in DLP technology is used in industrial measuring and sensing to facilitate extremely accurate 3D measurement for areas such as machine vision and factory automation. Imagine a factory, for example, where circuit boards are made in large batches. With solutions based on DLP chips, manufacturers can rapidly scan each board for imperfections significantly faster and more reliably than with more traditional tactile inspection techniques.
- In health care, DLP technology is shedding new light on many established medical practices. Dentists are
 using DLP technology-powered tools that allow them to perform 3D scans of a patient's tooth to more quickly
 create artificial teeth or tooth replicas. In another health-minded twist on DLP technology, devices like the
 VeinViewer® use harmless near-infrared light and DLP technology to image a patient's vein location onto
 their skin, making it far easier for clinicians to administer intravenous (IV) solutions.
- From quality control in food, to pharmaceuticals and beyond, a new class of DLP technology-powered spectrometers are small and reliable enough to provide real time analysis about the characteristics of a given liquid or solid when and where it's needed. This trend toward hand-held spectroscopy is a huge departure from older systems, which were costly and had to be housed in large laboratories.

Clearly, the advanced light control properties of DLP chips are changing many industries. Two critical properties of DLP technology, speed and wavelength, have made it very useful across a broad spectrum of industrial applications.

1





Speed is certainly one advantage. In our DLP Products design, millions of micro-electric mirrors, each smaller than the width of a human hair, flip thousands of times every second to shape and control light. This kind of speed and precision is an advantage for industrial applications where companies are always striving to be more efficient and improve measurement or analysis cycle time.

Perhaps less obvious is the wavelength range in which DLP chips can function. They aren't just limited to controlling visible light. Our products can operate in wavelengths ranging from 363 up to more than 2,500 nanometers, which is particularly useful in applications such as lithography, 3D printing and spectroscopy.

Beyond the inherent technical advantages of DLP technology, I'm very proud of the resources we've developed around it and the excitement from our customers. It includes our self-service website filled with great technical information, our portfolio of Evaluation Modules (EVMs), and our DLP Design Network. And, I look forward to evolving our chip solutions as we continue to engage in meaningful two-way conversations with customers, students, product developers and engineers who keep finding innovative new uses for DLP technology.

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATA SHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, regulatory or other requirements.

These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

TI objects to and rejects any additional or different terms you may have proposed.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2023, Texas Instruments Incorporated