

** TEXAS INSTRUMENTS Bill of Materials

TI DESIGNS TIDA-00073

Item	Quantity	Reference	Note	Part	Foot Print	Part Number	Manufacturer	Tol	Volt
	7	C1,C2,C3,C4,C5,C6,C7		33pF	402	GRM1555C1H330JZ01D	Munata	5%	50V
2	2	C8,C19		.luF	402	GRM1555C1H330J201D		10%	16V
3	4	C9,C20,C28,C31		8.2pF	402	GJM155871C104KA88D		.25pF	50V
3	4	C10,C11,C12,C13,C14,C15		8.2pF	402	GJM1555C1H8R2CB01D	wurata	.zspr	507
4	7	.C16		1uF	402	GRM155R61A105KE15D	Murata	10%	10V
5	2	C17,C29		6.8pF	805	GRM1885C1H6R8CZ01D		.25pF	50V
6	3	C17,C29 C18,C30,C70	DNI	.1uF	402	GRM155R71C104KA88D		.23pr 10%	16V
7	3	C21,C22,C24	DINI	39pF	402	GRM1555C1H390JZ01D		5%	50V
8	2	C23,C26	DNI	1.5pF	402	UVK105CH1R5BW-F	Taivo Yuden	.1pF	30 V
9	1	C25	DNI	39pF	402	GRM1555C1H390JZ01D		5%	50V
10	2	C27,C32	DINI	.1uF	402	GRM155R71C104KA88D		10%	16V
11	4	C33,C43,C44,C54	DNI	6.8pF	603	GRM1885C1H6R8CZ01D		.25pF	50V
12	4	C34,C41,C45,C52	DINI	82nH	0603 WIDE	0603HP-82NXJLW	Coilcraft	.23pi	30 V
13	4	C35,C42,C46,C53		150nH	0603_WIDE		Coilcraft	5%	
14	4	C36,C40,C49,C50		.1uF	402	GRM155R71C104KA88D		10%	16V
15	2	C37,C47		33nH	603	0603HP-33NXJLW	Coilcraft	5%	100
16	2	C38,C51		56nH	603		Coilcraft	5%	
17	2	C39.C48		.01uF	402	GCM155R71H103KA55D		10%	16V
.,		000,010		.0141	102	COMPONITION TO THE COLUMN TO T	Marata	1070	101
18	6	C55,C56,C58,C59,C60,C61		10nF	402	C0402C103K4RACTU	Kemet	10%	16V
19	2	C57,C62		10uF	402	GRM21BR71A106KE51L		20%	10V
20	2	C63,C73	DNI	.1uF	402	GRM155R61C104KA88D		10%	
		C64,C75,C76,C78,C79,C80							
		,C82,C83,C84,C89,C90,C9							
21	15	2,C94,C96,C104,		.1uF	402	GRM155R61C104KA88D	MURATA	10%	
21a	2	C155,C156		.1uF	402	GRM155R61C104KA88D		10%	
21b	1	C69	Installation instructions	100pF	402	GCM1555C1H101JZ13D		5%	50V
21c	1	L31	below	2.7nH	402	0402CS-2N7XJL	Coilcraft	5%	
22	1	C65		.1uF	402	GRM155R61A104KA01D		10%	10V
23	2	C66,C67		3.3pF	402	GJM1555C1H3R3CB01D			
24	1	C68		10nF	0603 WIDE	GRM155R71E103KA01D		10%	25V
25	10	.C99.C117.C137.C139		10uF	1206	GRM31CR61E106KA12L		10%	16V
26	1	C85		270pF	402	GRM1555C1H271JA01D		5%	50V
27	1	C86		.015uF	402	GRM155R71C153KA01D		5%	16V
28	2	C87,C88	DNI	.1uF	402	GRM155R71C153RA01D		10%	16V
		C97,C98	DINI					10%	167
29	2	/	B1.11	.01uF	402	GRM155R71H103KA88D			├
30	1	C101	DNI	.01uF	402	GRM155R71H103KA88D			1.53.6
31	1	C103		10uF	805	GRM21BR61C106KE15L		10%	16V
32	8	1,C151,C152,C153		.1uF	402		MURATA	10%	
33	1	C109	LOW ESR	10uF	3528		AVX	10%	16V
34	1	C110	LOW ESR	4.7uF	3528		KEMET	20%	10V
35	4	C112,C115,C116,C140		.1uF	402		MURATA	10%	16V
36	2	C113,C114		47pF	402	04025A470JAT2A	AVX		

1 1				1	İ	Ī	i i	ŗ	
1	7	C1,C2,C3,C4,C5,C6,C7		33pF	402	GRM1555C1H330JZ01D	Murata	5%	50V
37	1	C118		47uF	tant b	T491B476M010AT	Kemet	20%	10V
38	4	C119,C122,C127,C131		10uF	805	GRM21BR71A106KE51L		20%	10V
39	1	C120		1uF	402	C1005X5R1C105K	TDK	10%	16V
40	4	C121,C125,C129,C132		1uF	603	ECJ-1V41E105M	Panasonic	20%	25V
41	3	C123,C126,C130		.1uF	402	ECJ-0EB1C104K	Panasonic	10%	16V
42	<u>3</u>	C124		10nF	402	C1005X7R1E103K	TDK	10%	25V
43	1	C124		.01uF	402	C0402C103J3RACTU	KEMET	10%	25V
43	1	C128		10uF	805	GRM21BR70J106KE76L	MURATA	10%	6.3V
45	1	C138		47uF	TANT B	T494B476M010AS	Kemet	20%	10V
46		C136 C141.C143			_				
	2	- ,		39pF	201	250R05L390GV4T	Johanson Technology Inc	2%	25V
47	2	C142,C144	DMI	.033uF	805	EMK212SD333JD-T	Taiyo Yuden	5%	16V
48	4	C147,C148,C149,C150	DNI	6.8pF	402	GRM1555C1H6R8DZ01D		.5pF	50V
49	1	C154		100pF	603	06031A101GAT2A	AVX CORP		
50	2	C165,C166		150pF	402	ECJ-0EB1E151K	Panasonic	10%	25V
51	2	C167,C168		22pF	402	GRM1555C1H220JZ01D		5%	50V
52	3	D1,D2,D3		LED GREEN	LED_0805	LNJ306G5UUX	PANASONIC		
53	1	D4		LED AMBER	LED_0805	LNJ406K54RX	PANASONIC		
54	1	D5		GREEN	LED_0805	LTST-C170KGKT	LITE ON		
55	1	D6		LED RED	LED_0805	LTST-C170KRKT	LITE ON		
56	1	D7		Blue	LED_0805	LTST-C170TBKT	Lite On		1
57	7	2,L32		68 OHM @ 100MHZ	1206	EXC-ML32A680U	Panasonic		į.
58	1	FB7		120 OHM @ 100MHz	1206	BLM31PG121SN1L	MURATA		1
59	2	FB9,FB11		1K	1810	FBMH4525HM102NT	Taiyo Yuden		
60	1	FB10		27uF	1206_BEAD_NFM31P	NFM31PC276B0J3	MURATA		
61	3	JP1,JP2,JP3	(SHUNT 1-2)	HEADER_1x3_100_430L	HDR_THVT_1X3_100_M	22-28-4030	Molex		1
62	1	JP4	(SHUNT 2-3)	HEADER_1x3_100_430L	HDR_THVT_1X3_100_M	22-28-4030	Molex		
63	1	JP9	SHUNT 1-2	HEADER, 3POS	HDR THVT 1x3 100 M	HTSW-103-07-G-S	SAMTEC		
64	1	JP12		HDR, THVT, 2POS	HDR THVT 1X2 100 M	HTSW-102-08-G-S	SAMTEC		
65	1	J1		HI-SPEED SOCKET, SMT, VE	CON SMVT 120POS Q	QTH-060-01-F-D-A-RT1	SAMTEC		
66	1	J2		SMA	SMA THRT 276X276	132136	AMPHENOL CONNEX		
67	2	J3,J12		SMA END JACK RND	SMA_THVT_320X320	142-0701-201	Johnson Components		
68		J4		SMA END JACK RND	SMA THRT 276X276	132136	AMPHENOL CONNEX		
69	4	J6,J7,J8,J9		SMA THRU HOLE R/A	SMA THRT 276X276	132136	AMPHENOL CONNEX		
70	2	J10.J11		SMP PCB SMT	smp b120	853050232	Molex Inc.		
71		J13		HTSW-105-07-G-D	HDR THVT 2x5 100 M		SAMTEC		
72	1	J14		USB_SUPER-MINI_AB	CON SMRT USBMNE20		ACON		
73	1	J15		CONN JACK PWR	CON RAPC722 JACK		Switchcraft		
74	1	J16		BLK	JACK_THVT_BANANA_2		SPC TECHNOLOGY		
75	1	J17		RED	JACK_THVT_BANANA_2		SPC TECHNOLOGY		
76	1	J18		HTSW-106-07-G-D	HDR THVT 1x6 100 M		SAMTEC		
77	2	J19,J21		HTSW-105-07-G-D	HDR_THVT_1x6_100_M		SAMTEC	-	
78	1	J19,J21 J22			HDR_THVT_1X8_100_M HDR_THVT_1x4_100_M		SAMTEC		
	•			HTSW-104-07-G-D				F0/	
79	4	L1,L4,L10,L13		120nH	805	0805CS-121XJLC	Coilcraft	5%	
80	20	,L14,R15,R20,R27,R52,R53		0	402	RMCF0402ZT0R00	Stackpole Electronics Inc	5%	
81	2	L3,L12		180nH	805	0603HP-R18XJLW	Coilcraft	5%	
82	2	L6,L9		10nH	402	0402CS-10NXJLW	Coilcraft	2%	501/
83	4	L15,L20,L23,L28		8.2pF	0603_WIDE	GRM1885C1H8R2DZ01D		.5pF	50V
84	4	L16,L21,L24,L29		3.9pF	0603_WIDE	GRM1885C1H3R9CZ01D		.25pF	
85	4	L17,L22,L25,L30		1uH	1008	1008CS-102XJL	Coilcraft	5%	-
86	2	L18,L26		22pF	603	GRM1885C1H220JA01D		5%	
87	2	L19,L27		10pF	603	GRM1885C1H100JA01D	Murata	5%	

1 1		1		l	1	1	1 1		1
1	7	C1,C2,C3,C4,C5,C6,C7		33pF	402	GRM1555C1H330JZ01D	Murata	5%	50V
88	1	L33		40nH	402	0402CS-40NXJLW	Coilcraft	2%	30 0
89	1	Q1		FDC3616N	SSOT6 FLMP	FDC3616N	Fairchild Semiconductor		
90	6	R1,R4,R13,R16,R24,R30		0	603	RMCF0603ZT0R00	Stackpole Electronics Inc	5%	
91	2	R5,R11		681	402	RMCF0402FT681R	Stackpole Electronics Inc	1%	+
92	2	R6,R12	DNI	499	402	RC0402FR-07499RL	Yageo	1%	†
93	1	R7	DIVI	1.5K	402	RC0402FR-071K5L	Yageo	1%	+
94	8	8,R119,R120		0	402	RMCF0402ZT0R00	Stackpole Electronics Inc	5%	+
95	8	.R108.R110	DNI	0	402	RMCF0402ZT0R00	Stackpole Electronics Inc	5%	+
96	1	R10	DNI	1.2K	402	RC0402FR-071K2L	Yageo	1%	+
97	2	R17,R23	DNI	0	603	RMCF0603ZT0R00	Stackpole Electronics Inc	5%	+
98	4	R18.R22.R25.R29	DINI	49.9	402	RMCF00032T0R00	Stackpole Electronics Inc	5%	+
99	4	R19,R21,R26,R28		56.2	402	RMCF0402FT56R2	Stackpole Electronics Inc	1%	+
		.R79							+
100	7	R35		10K	402 402	RMCF 1/16S 10K 1% R	Stackpole Electronics Inc	1% 1%	-
101						RMCF 1/16S 10 1% R	Stackpole Electronics Inc	1%	-
102	4	R37,R41,R42,R45		4.99	402	CRCW04024R99FKED	VISHAY/DALE		+
103	1	R38		0 ohm	402	RMCF 1/16S 0 R	Stackpole Electronics Inc	5%	4
104	4	R39,R40,R43,R44	DNI	49.9	402	ERJ-2RKF49R9X	PANASONIC		
105	1	R55		680	402	ERJ-2RKF6800X	PANASONIC	1%	4
106	1	R56	DNI	10K	402	ERJ-2RKF1002X_DNI	PANASONIC	1%	
107	2	R59,R60		1K	402	RMCF0402FT1K00	Stackpole Electronics Inc	1%	
108	1	R61		18	402	ERJ-2RKF18R0X	PANASONIC		
109	2	R62,R63		270	402	ERJ-2RKF2700X	PANASONIC	1%	
110	2	R64,R65		120	402	ERJ-2RKF1200X	PANASONIC		
111	2	R67,R97	DNI	82	603	CRCW060382R0FKEA	DALE	1%	
112	2	R68,R95	DNI	130	603	CRCW0603130RFKEA	DALE	1%	
113	3	R70,R72,R73		750	603	CRCW0603750RFKEA	DALE		
114	1	R75		1K	402	ERJ-2RKF1001X	Panasonic	1%	
115	3	R76,R77,R78		10K	402	ERJ-2RKF1002X	PANASONIC	1%	
116	3	R80,R83,R85		3.01K	402	ERJ-2RKF3011X	PANASONIC	5%	1/10W
117	1	R82		0	603	ERJ-3GEY0R00V	Panasonic	5%	
118	1	R84		4.7K	402	ERJ-2RKF4701X	Panasonic	5%	
119	1	R86	DNI	0	1206	CRCW12060000Z0EA	Vishay/Dale	5%	
120	1	R87		10K	603	ERJ-3EKF1002V	Panasonic	1%	
121	1	R88		53.6K	402	RMCF0402FT53K6	Stackpole Electronics Inc	1%	1
122	2	R89,R91		10K	402	ERJ-2GEJ103X	Panasonic	1%	1
123	1	R90		31.6K	402	RMCF0402FT31K6	Stackpole Electronics Inc	1%	
124	4	R93,R105,R107,R109		100nH	402	0402CS-R10XJLW	Coilcraft	5%	
125	1	R94		100K	603	ERJ-3GEYJ104V	Panasonic	1%	1/10W
126	1	R101	DNI	0	603	ERJ-3GEY0R00V_DNI	PANASONIC		
127	1	R123		49.9	402	CRCW040249R9FKED	Vishay/Dale	1%	
128	1	R274		100	603	ERJ-3EKF1000V	PANASONIC		†
129	1	R275		100	402	ERJ-2RKF1000X	PANASONIC	1%	
130	1	SH1	TI SUPPLIED	RF SHIELD	MFG053 PTH		LEADER TECH		\vdash
131	9	7,SH8,SH9,SH10	110011111111111111111111111111111111111	RF SHIELD	MFG053_FTH		LEADER TECH		
132	1	SJP3	SHUNT 2-3	Jumper L 0402 SMT	SMD JUMPER L 0402	NP PART-SMD PADS	NP PART		
133	1	SW1	0110111 2 0	SW PUSHBUTTON	SW RESET PTS635	PTS635SL43	ITT Industries/C&K Div		
134	1	TP1		Testloop White	testpoint 62dia	5012	KEYSTONE		
135	2	TP2,TP4		Test Point White	TESTPOINT_62DIA	5002	Keystone		+
136	1	TP3		Test Point Black	TESTPOINT_62DIA	5002	Keystone		+
137	4	TP5,TP6,TP9,TP10		Testloop_Red	testpoint 62dia	5005	Keystone		
138	1	TP7		· -		5010			+
138	1	IF1		Testloop_Red	testpoint_62dia	10010	Keystone		

1		1					l		
1	7	C1,C2,C3,C4,C5,C6,C7		33pF	402	GRM1555C1H330JZ01D	Murata	5%	50V
139	5	TP8,TP11,TP12,TP13,TP14		Testloop_Black	testpoint_62dia	5011	KEYSTONE		
140	2	T1,T2	DNI	WBC4-1TL	XFMR_WBC	WBC4-1TL	Coilcraft		
141	1	T3		WBC1-1TL	XFMR_WBC	WBC1-1TL	Coilcraft		
142	1	T4	DNI	WBC1-1TL	XFMR_WBC	WBC1-1TL	Coilcraft		
143	1	T5		WBC1-1TL	XFMR_WBC	WBC1-1TLB	Coilcraft		
144	1	U1		SKY73022/MAX19985	QFN36_P5MM	SKY73022-11	Skyworks		
145	1	U2		LMH6521	QFN32_RGJ_RHB_RTV	LMH6521SQ	NATIONAL SEMI		
146	1	U3		ADS4249	QFN64	ADS4249IRGCT	Texas Instruments		
147	1	U5		LMK04803B	QFN_64_360X360_0P50	LMK04803BISQ	NATIONAL SEMI		
148	1	U6		EPM3064A	TQFP_100_551x551_20	EPM3064ATC100-7N	Altera		
149	1	U7		LP2985-50	SOT_5_120X69_37	LP2985-50DBVR	Texas Instruments		
150	1	U8		FT245RL	ssop_28_413x220_26	FT245RL	FTDI Chip		
151	1	U9		25AA512	SO_8_210X212_50	25AA512-I/SM	MICROCHIP TECHNOLOG	Υ	
152	2	U10,U15		TPS7A8001DRB	SON_8_124x124_pwrpac	TPS7A8001DRB	Texas Instruments		
153	1	U11		TPS2400	DBV5	TPS2400DBVT	Texas Instruments		
154	1	U14		TPS76718Q	HTSSOP_20_260x177_2	TPS76718QPWP	Texas Instruments		
155	1	Y2	DNI	80.00MHz	VCXO_4_SM_560x360	CVHD-950-80.000	Crystek		
156	1	Y3		20MHz			ECS		
157	1	Y4	DNI	40.00MHz	VCXO_6_CUSTOM	357LB3I040M0000	CTS		
158	4	_SCREW3,Z_SCREW4	SCREW FOR STANDOFF	SCREW PANHEAD 4-40 x 3/8		PMS 440 0038 PH	Building Fasteners		
159	4	H3,Z_SH-H4	SHUNT FOR HEADER	HEADER, 3POS	HDR_THVT_1X3_100	MJ-5.97-G or equivalent	Keltron		
160	1	Z_SH-H8	OR EQUIVALENT	SHUNT- HEADER		MJ-5.97-G	KELTRON		
161	1	Z_SH-J4	SHUNT FOR JUMPER	SHUNT-JUMPER-0402		ERJ-2GE0R00X	PANASONIC		
162	1	Z_SH-J5	OR EQUIVALENT	SHUNT-HEADER		MJ-5.97-G	KELTRON		
163	4	OFF2,Z_STANDOFF3,Z_S	STANDOFF	STANDOFF ALUM HEX 4-40 x	.500	2203	Keystone		

IMPORTANT NOTICE FOR TI REFERENCE DESIGNS

Texas Instruments Incorporated ("TI") reference designs are solely intended to assist designers ("Buyers") who are developing systems that incorporate TI semiconductor products (also referred to herein as "components"). Buyer understands and agrees that Buyer remains responsible for using its independent analysis, evaluation and judgment in designing Buyer's systems and products.

TI reference designs have been created using standard laboratory conditions and engineering practices. TI has not conducted any testing other than that specifically described in the published documentation for a particular reference design. TI may make corrections, enhancements, improvements and other changes to its reference designs.

Buyers are authorized to use TI reference designs with the TI component(s) identified in each particular reference design and to modify the reference design in the development of their end products. HOWEVER, NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER TI INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY THIRD PARTY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT, Is GRANTED HEREIN, including but not limited to any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI components or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services, or a warranty or endorsement thereof. Use of such information may require a license from a third party, or a license from TI under the patents or other intellectual property of TI.

TI REFERENCE DESIGNS ARE PROVIDED "AS IS". TI MAKES NO WARRANTIES OR REPRESENTATIONS WITH REGARD TO THE REFERENCE DESIGNS OR USE OF THE REFERENCE DESIGNS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ACCURACY OR COMPLETENESS. TI DISCLAIMS ANY WARRANTY OF TITLE AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT, QUIET POSSESSION, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS WITH REGARD TO TI REFERENCE DESIGNS OR USE THEREOF. TI SHALL NOT BE LIABLE FOR AND SHALL NOT DEFEND OR INDEMNIFY BUYERS AGAINST ANY THIRD PARTY INFRINGEMENT CLAIM THAT RELATES TO OR IS BASED ON A COMBINATION OF COMPONENTS PROVIDED IN A TI REFERENCE DESIGN. IN NO EVENT SHALL TI BE LIABLE FOR ANY ACTUAL, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR INDIRECT DAMAGES, HOWEVER CAUSED, ON ANY THEORY OF LIABILITY AND WHETHER OR NOT TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, ARISING IN ANY WAY OUT OF TI REFERENCE DESIGNS OR BUYER'S USE OF TI REFERENCE DESIGNS.

TI reserves the right to make corrections, enhancements, improvements and other changes to its semiconductor products and services per JESD46, latest issue, and to discontinue any product or service per JESD48, latest issue. Buyers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All semiconductor products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its components to the specifications applicable at the time of sale, in accordance with the warranty in TI's terms and conditions of sale of semiconductor products. Testing and other quality control techniques for TI components are used to the extent TI deems necessary to support this warranty. Except where mandated by applicable law, testing of all parameters of each component is not necessarily performed.

TI assumes no liability for applications assistance or the design of Buyers' products. Buyers are responsible for their products and applications using TI components. To minimize the risks associated with Buyers' products and applications, Buyers should provide adequate design and operating safeguards.

Reproduction of significant portions of TI information in TI data books, data sheets or reference designs is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Buyer acknowledges and agrees that it is solely responsible for compliance with all legal, regulatory and safety-related requirements concerning its products, and any use of TI components in its applications, notwithstanding any applications-related information or support that may be provided by TI. Buyer represents and agrees that it has all the necessary expertise to create and implement safeguards that anticipate dangerous failures, monitor failures and their consequences, lessen the likelihood of dangerous failures and take appropriate remedial actions. Buyer will fully indemnify TI and its representatives against any damages arising out of the use of any TI components in Buyer's safety-critical applications.

In some cases, TI components may be promoted specifically to facilitate safety-related applications. With such components, TI's goal is to help enable customers to design and create their own end-product solutions that meet applicable functional safety standards and requirements. Nonetheless, such components are subject to these terms.

No TI components are authorized for use in FDA Class III (or similar life-critical medical equipment) unless authorized officers of the parties have executed an agreement specifically governing such use.

Only those TI components that TI has specifically designated as military grade or "enhanced plastic" are designed and intended for use in military/aerospace applications or environments. Buyer acknowledges and agrees that any military or aerospace use of TI components that have *not* been so designated is solely at Buyer's risk, and Buyer is solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI has specifically designated certain components as meeting ISO/TS16949 requirements, mainly for automotive use. In any case of use of non-designated products, TI will not be responsible for any failure to meet ISO/TS16949.